KELSEY'S

Hardy American Plants Azaleas, Rhododendrons Specimen Evergreens Carolina Mountain Flowers



The Carolina Hemlock (Tsuga caroliniana)

This grand new species is now universally accepted as the "Queen of American Evergreens." Introduced by Highlands Nursery in 1884, it has become known to tree-lovers as the most distinctive and graceful of all conifers which are hardy throughout the entire United States.

Its dense, dark foliage, sweeping, semi-pendulous branches, and eventually pyramidal form combine to give a charm not found in any other evergreen known to cultivation. It is much hardier and more adaptable to city atmospheres than its plainer sister, the Canadian Hemlock, and will also thrive in southern latitudes where the latter becomes thin, yellow, and unsightly.

where the latter becomes thin, yellow, and unsignuly.

It is the "coming Evergreen" for the finest landscape plantings, either as single specimens or for mass effects and backgrounds. A splendid stock of young plants up to 2 feet is now ready. Also a limited number of specimens 6 to 10 feet, and at Highlands Nursery some grand specimens 16 to 20 feet. Prices, see pages 9 and 22.

Special Notice

PRICES The prices in this Catalog abrogate all previous price-lists or quotations

Address all communications to

HARLAN P. KELSEY

OWNER

Hawthorne Bldg.,

Salem, Mass.

Boxford Nursery: BOXFORD, MASS. Highlands Nursery: PINEOLA, NORTH CAROLINA 3,800 feet elevation

Information

BOXFORD NURSERY (East Boxford P. O.) is located 28 miles north of Boston, at Boxford Station, on the Georgetown Branch, B. & M. R. R. Good automobile roads lead in all directions. Distances from Nursery to Boston, 28 miles; Salem, 14 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell, 20 miles;

Visitors are always welcome, and customers will find pleasure and a distinct advantage in personally inspecting material. Mr. Kelsey will be glad to meet prospective customers at the Nursery by appointment. A visit during Rhododendron, Kalmia, and Azalea blooming season is an event really worth while.

HIGHLANDS NURSERY, Pineola, western North Carolina, is located at 3,800 feet elevation, on the crest of the Blue Ridge Mountains. Here many of our choicest new American plants have been grown and introduced for the first time to cultivation, including Carolina Hemlock, Azalea vaseyi, Rhododendron carolinianum, Lilium grayi, Shortia galacifolia, Robinia kelseyi, and many others. From here also we ship "collected" Rhododendrons and Kalmias in carload lots, of a grade far superiot to Pennsylvania "collected" material. "Collected" Rhododendron catawhiense (true) comes only from our high southern negativities. biense (true) comes only from our high southern mountains.

AMERICAN NATIVE PLANTS. Specialties at both Nurseries are Hardy American Plants, which must always be the basis of all successful permanent plantings, and Specimen Evergreens. We have thousands of the choicest conifers up to 20 feet in height, Rhododendrons 4 to 5 feet in diameter; Azaleas in splendid clumps, heavily budded; and Dwarf Evergreens for immediate effect in Rockwork and Borders. We are the first and still the largest growers of American Native Ornamentals.

and still the largest growers of American Native Ornamentals.

EMBARGO ON FOREIGN STOCK. The Federal Horticultural Board has proclaimed a complete embargo on all Foreign Trees and Shrubs and practically all Herbaceous Plants. This means a distinct horticultural advance in America, for Americans must now learn that our Native Trees and Plants are hardier, freer from disease, more permanent, and far more beautiful and "fitting" in our landscapes and home grounds than exotic material. The best exotics can and now will be grown in America for Americans. We are growing them by thousands.

SHIPPING SEASON begins in August for Rhododendrons, Kal Conifers and many herbaceous plants, general stock going out from tember to December. Spring shipments usually from March to June. from Sep-

SHIPPING INSTRUCTIONS should be given, otherwise I use my best judgment, but assume no risk. All shipments travel at consignee's risk and carriers must be held liable for damage in transit.

DELIVERY BY TRUCK. Where the size of order warrants, there are distinct advantages in auto truck delivery for distances up to 30 to 50 miles. Stock arrives quickly and when wanted is delivered fresh on the grounds and saves local trucking and unpacking. Charges are made according to size of truck and distance traveled.

PRICES are made to fit the quality of stock sent out. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, mean success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery, and "cheap" stock will not be handled or sent out. The best is always the cheapest.

SPECIAL SELECTION. Stock selected by customers at Nursery or specially selected stock ordered by mail or otherwise will be charged at advanced prices to fit the value of stock selected. The prices in this catalogue cover the average good grade as they run in the nursery row.

PACKING CHARGES. At prices printed in this catalogue, Boxing, Baling, or Burlaping is free, except where noted. Where small sizes or deciduous stock is balled and burlaped by special request, a charge is always made to cover cost. See page 24 for Burlaping charges.

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. 5 at 10 rate; 50 at 100 rate; 500 at 1,000 rate.

Sat 10 rate; 30 at 100 rate; 300 at 1,000 rate.

NON-WARRANTY. No guarantee, express or implied, is made that stock will grow, whether planted by me or otherwise. Having no control over after treatment of plantings or over weather conditions, it is obvious that purchaser must assume all responsibility after stock leaves the Nursery in good condition. However, under certain conditions, I am prepared to guarantee plantings made by me covering a specified period, on an insurance basis. Charges will be made according to risk involved and value of material. Claims for errors must be made on receipt of goods. If there is any mis-Claims for errors must be made on receipt of goods, take or fault on my part it will gladly be rectified.

PLANT NAMES. The botanical (scientific) names of Trees, Shrubs, and Woody Vines in this catalogue conform to the 1917 Official Code of Standardized Plant Names, adopted and published by The American Joint Committee on Horticultural Nomenclature, as first printed in L. H. Bailey's "Standard Cyclopedia of American Horticulture," Vol. VI,

DESCRIPTIVE CATALOGS, illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas, and other native plants is gladly given.

LANDSCAPE FORESTRY. Evergreen seedlings and transplants in arge quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address,

HARLAN P. KELSEY, Owner

Office, 209a Washington St. Telephone Connections

Salem, Mass.

CATALOG OF BOXFORD NURSERY



Abies fraseri

Prices at Boxford Nursery

NOTE: All stock transplanted and nursery-grown unless marked otherwise. "S."—Seedlings. "Col."—Collected.

The larger sizes of Evergreens are always shipped with balls, and burlaped.

The prices in this list cover the average good grade as they run in the nursery row. Where specimens are picked, a price will be made to fit the specimen.

Evergreen Trees and Shrubs

Write for special prices on young seedlings and transplanted Evergreens by the thousand, such as White and other Pines, Firs, Spruces, etc.

		Each	10	100
Abies arizon	ica. Silver Cork Fir. 6 to 7 ft	\$10 00		
	8 to 10 ft	.15 00		
concolor.	WHITE FIR. 6 to 9 in. \$180 per 1,000.	. 40	\$2 40	\$20 00
	9 to 12 in\$300 per 1,000.	. 60	4 00	36 00
	12 to 18 in			70 00
	18 to 24 in			
	2 to 3 ft		30 00	
	3 to 4 ft	. 4 50		
	4 to 5 ft			
	5 40 10 ft americana 90 40	105 00		

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, continued

EVERGREEN TREES AND SHRUBS	, com	mucu	
Ables fraseri, continued	Each	10 100	
9 to 12 in	\$0 30 40	\$2 00 \$16 3 00 24	
2 to 3 ft	1 50	12 00	oo
3 to 4 ft	$^{2} 50$	22 00 200	
4 to 5 ft	3 50	32 00 300 40 00 360	
6 to 8 ft	7 00	64 00 600	
8- to 16-ft. specimens \$8 to	40 00		
4 to 3 ft. 5 to 6 ft. 6 to 8 ft. 8- to 16-ft. specimens. \$8 to homolepis. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 4- to 8-ft. specimens. \$8 to	3 00	$\frac{16}{28} \frac{00}{00}$	
2 to 3 ft	5 00	44 00	
4- to 8-ft. specimens\$8 to	$20 \ 00$		
homolepis (brachyphylla). 3- to 9-ft. specimens\$6 to			
homolepis umbellata.			
6- to 12-ft. specimens\$12 to	25 00	4	
veitchi. 9 to 12 in.	$\frac{3}{2} \frac{00}{00}$	18 00	
pectinata. 12 to 18 in veitchi. 9 to 12 in 2 to 3 ft	6 00		
3 to 4 ft. 5- to 16-ft. specimens	8 00		
Andromeda polifolia. 6 to 12 in.	60 00 50	4 40 40	00
noribunda. See Pieris floribunda.			
Arctostaphylos uva-ursi. Bearberry. 2-yr. pots.	80 75	7 60 60 6 6 00	00
Calluna humosa. Heather, 6 to 9 invulgaris. 9 to 12 in	75	6 00	
12 to 18 in Chamæcyparis (Retinispora) obtusa. 6 to 9 in	1 00	8 00	
9 to 12 in	50 75	4 00 30 6 00 50	
12 to 18 in	1 50	12 00	CO
obtusa nana. 9 to 12 in	2 00		
12 to 18 in	$\frac{3}{4} \frac{00}{00}$		
2 to 2½ ft pisifera. 3 to 4 ft	$\frac{4}{2} \frac{00}{50}$		
4 to 5 ft	3 50		
5 to 6 ft	5 00		
12 to 18 in	60	5 00	
Cryptomeria japonica lobbi. 18 to 24 in	2 00		
2 to 2½ ft Daphne cneorum. 6 to 9 in	3 00	5 00 40	nn
Dendrium. See Leiophullum		0 00 40	00
Erica carnea. Heath. 6 to 9 in. Thex crenata. Japanese Holly. 6 to 12 in	75	6 00	
12 to 18 in	1 00	8 00	
18 to 94 in	9 50	22 00	
18 to 94 in	9 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00
18 to 94 in	9 50	6 00 50	00
18 to 24 in glabra. INKBERRY, 1 to 2 ft Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft.	2 50 75 2 00 2 50 3 50		00
18 to 24 in glabra. INKBERRY, 1 to 2 ft Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft.	2 50 75 2 00 2 50 3 50	6 00 50	00
18 to 24 in. glabra. INKBERRY, 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50	6 00 50	00
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50	6 00 50	00
18 to 24 in. glabra. INKBERY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00	6 00 50 22 00 32 00	
18 to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best pr	6 00 50 22 00 32 00 rostrate form	of
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft 3 to 4 ft chinensis procumbens. 2 to 3 ft communis aurea. 2 to 3 ft 4 to 5 ft communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best prandy of	6 00 50 22 00 32 00 32 00 rostrate form	of
18 to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plants	6 00 50 22 00 32 00 rostrate form or gravelly his ere other shru	of ill- a
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plants eplants	6 00 50 22 00 32 00 costrate form or gravelly his often reacher other shru owever, than	of ill- a bs
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plants cell whering, heetely p Each	6 00 50 22 00 32 00 rostrate form or gravelly his s often reachere other shru owever, than rostrate type 10 100	of ill-abs in to
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plandy of the plandy of the plandy of the plandy of the plands of the pland	6 00 50 22 00 32 00 rostrate form or gravelly his often reach ere other shru owever, than rostrate type 10 10 86 00 \$50	of ill-abs in to
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the complethe ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft.	2 50 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best planticell whereing, heetely perions, heetely perions 2 50 50 75 1 50 2 50	6 00 50 22 00 32 00 rostrate form or gravelly his s often reachere other shru owever, than rostrate type 10 100	of ill-a bs in to)
18 to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis aurea. 2 to 3 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the complithe ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	2 50 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best planty cell whering, heetely petell whering, heetelly petells 50 2 50 3 50	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his s often reach ere other shru owever, than rostrate type 10 10 86 00 \$5 12 00 12 00 180 32 00 300 300	of ill- a bs in to 00000
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	2 50 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best planty of planty of planty of planty of plants	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his s often reach ere other shru owever, than rostrate type 10 100 \$6 00 \$50 12 00 20 00 180	of ill- a bs in to 00000
18 to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the complete ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft.	2 50 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plants ell whe ring, he etely p Each \$ 1 50 2 50 3 50 6 00 3 50 6 00 6 00 6 00 6 00 6 00 6 00 6 00 6	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his s often reach ere other shru owever, than rostrate type 10 10 86 00 \$5 12 00 12 00 180 32 00 300 300	of ill- a bs in to 00000
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does we or grass will not thrive, forming a looser cove the opening. It varies in form from the complethe ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. sabina. Savin Juniper. 2 to 3 ft.	2 50 75 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plantivell whering, hetely p Each \$0 2 50 2 50 3 50 4 50 3 50 3 50 4 50 3 50 3 50 4 50 3 50 4 50 3 50 4 50 3 50 4 50 3 50 4 50 3 50 3 50 4 50 3 50 4 50 5 50 5 50 5 50 5 50 5 50 5 50 5	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reach ere other shru owever, than rostrate type 10 10 10 86 00 \$50 12 00 20 00 180 32 00 300 44 00 420	of ill- a bs in to 00000
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 18 in. 12 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. sabina. Savin Juniper. 2 to 3 ft.	2 50 755 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best planty cell whering, hetely per Each Find, hetely per Each 2 50 3 50 4 50 6 00 9 1 50 9 2 50 1 50 2 50 3 50 4 50 4 50 6 00 9 2 50 1 50 2 50 3 50 4 50 4 50 6 00 9 2 50 9 3 50 9 3 50 9 4 50 9 3 50 9 4 50 9 3 50 9 4 50 9 3 50 9 4 50 9 4 50 9 5 50 9 6 50 9 7 5 1 50 9 6 50 9 7 5 1 50 9 3 50 9 4 50 9 5 50 9 6 50 9 7 50	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his ere other shru owever, than rostrate type 10 100 50 01 100 20 00 180 42 00 420 44 00 420	of ill- a bs in to) 00
18 to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the complete ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 3 ft. 3 to 4 ft. 4 to 5 ft. 3 to 4 ft. Sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Sabina. Grey Carpet Juniper.	2 50 755 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plants rell whering, hetely p Each \$0 75 1 50 3 50 3 50 3 50 3 50 4 50 6 00 8 75 1 50 3 50 3 50 3 50 4 50 6 00 8 75 1 50 3 50 6 00 8 75 1 50 3 50 6 00 8 0 0 8 0 0	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his s often reach ere other shru owever, than 10 10 \$6 00 \$50 12 00 180 32 00 300 44 00 420 40 00 50 00	of ill- a bs in to) 00
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 fect or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the complithe ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 3 ato 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamarisoifolia. Grey Carper Juniper.	2 50 755 2 00 3 50 6 00 1 75 3 50 4 50 6 00 best planty cell whereing, hetely pettely pettely pettely for 150 2 50 3 50 4 50 6 00 3 50 3 50 4 50 6 00 3 50 3 50 4 50 5 00 3 50 4 50 5 00 3 50 4 50 5 00 3 50 4 50 5 00 5 00 6 00	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reacher shru owever, than rostrate type 10 100 86 00 \$50 12 00 20 00 180 20 00 180 44 00 420 40 00 50 00 32 00	of ill- a bs in to) 00
Is to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does we or grass will not thrive, forming a looser cove the opening. It varies in form from the complethe ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Grey Carper Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carper Juniper. 2 to 3 ft. 3 to 4 ft.	2 50 755 2 00 2 50 3 50 6 00 1 75 3 50 4 50 6 00 best plandy c ell whereing, hetely p Each 50 3 50 3 50 4 50 6 00 3 50 6 00 6 00 6 00 6 00 6 00 6 00 6 00 6 00 6 00 8 50 8	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his s often reach ere other shru owever, than 10 10 50 00 50 12 00 20 00 180 32 00 300 44 00 420 40 00 50 00 32 00 32 00 34 00 44 00 44 00 44 00	of ill- a bs in to) 00
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. seopulorum. 6 to 9 in. 9 to 12 in.	2 50 75 2 00 3 50 6 00 4 50 4 50 6 00 9 best pplants 1 75 3 50 4 50 9 10 1 75 3 50 4 50 9 2 50 9 3 50 9 4 50 9 10 9 2 50 9 3 50 9 3 50 9 4 50 9 75 9	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reacher shru owever, than rostrate type 10 100 86 00 \$50 12 00 20 00 180 20 00 180 44 00 420 40 00 50 00 32 00	of ill- a bs in to) 00
Is to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft 3 to 4 ft chinensis procumbens. 2 to 3 ft communis aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in 12 to 3 ft 3 to 4 ft 4 to 5 ft japonica aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft sabina. Savin Juniper. 2 to 3 ft 3 to 4 ft 4 to 5 ft 3 to 4 ft 4 to 5 ft sabina tamariscifolia. Grey Carper Juniper. 2 to 3 ft 3 to 4 ft 9 to 12 in 9 to 12 in scopulorum. 6 to 9 in 9 to 12 in ssunamata. 12 to 18 in	2 500 2 000 2 3 500 2 000 2 3 500 6 000 6 000 6 000 6 000 6 000 6 000 6 000 8 1 75 8 2 50 8 3 50 8 5 6 00 8 5 75 8 5 75 8 5 75 8 6 00 8 7 75 8 7	costrate form or gravelly his servent type to the shru owever, than rostrate type 10 20 00 180 20 00 180 44 00 420 40 00 50 00 80 00 80 00 80 00 80 00 80 00 80 00	of ill- a bs in to 00 00 00 00
Is to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft 3 to 4 ft chinensis procumbens. 2 to 3 ft communis aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in 12 to 3 ft 3 to 4 ft 4 to 5 ft japonica aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft sabina. Savin Juniper. 2 to 3 ft 3 to 4 ft 4 to 5 ft 3 to 4 ft 4 to 5 ft sabina tamariscifolia. Grey Carper Juniper. 2 to 3 ft 3 to 4 ft 9 to 12 in 9 to 12 in scopulorum. 6 to 9 in 9 to 12 in ssunamata. 12 to 18 in	2 500 2 000 2 3 500 2 000 2 3 500 6 000 6 000 6 000 6 000 6 000 6 000 6 000 8 1 75 8 2 50 8 3 50 8 5 6 00 8 5 75 8 5 75 8 5 75 8 6 00 8 7 75 8 7	costrate form or gravelly his servent type to the shru owever, than rostrate type 10 20 00 180 20 00 180 44 00 420 40 00 50 00 80 00 80 00 80 00 80 00 80 00 80 00	of ill- a bs in to 00 00 00 00
Is to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft 3 to 4 ft chinensis procumbens. 2 to 3 ft communis aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in 12 to 3 ft 3 to 4 ft 4 to 5 ft japonica aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft sabina. Savin Juniper. 2 to 3 ft 3 to 4 ft 4 to 5 ft 3 to 4 ft 4 to 5 ft sabina tamariscifolia. Grey Carper Juniper. 2 to 3 ft 3 to 4 ft 9 to 12 in 9 to 12 in scopulorum. 6 to 9 in 9 to 12 in ssunamata. 12 to 18 in	2 500 2 000 2 3 500 2 000 2 3 500 6 000 6 000 6 000 6 000 6 000 6 000 6 000 8 1 75 8 2 50 8 3 50 8 5 6 00 8 5 75 8 5 75 8 5 75 8 6 00 8 7 75 8 7	costrate form or gravelly his servent type to the shru owever, than rostrate type 10 20 00 180 20 00 180 44 00 420 40 00 50 00 80 00 80 00 80 00 80 00 80 00 80 00	of ill- a bs in to 00 00 00 00
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in 1 to 2 ft 2 to 3 ft 3 to 4 ft chinensis procumbens. 2 to 3 ft communis aurea. 2 to 3 ft 4 to 5 ft communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 fect or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in 12 to 3 ft 3 to 4 ft 4 to 5 ft japonica aurea. 2 to 3 ft 3 to 4 ft 4 to 5 ft sabina. Savin Juniper. 2 to 3 ft 3 to 4 ft 4 to 5 ft sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft 3 to 4 ft 5 to 12 in 9 to 12 in squamata. 12 to 18 in virginiana. Rep Cedar. 15 to 60 ft. Pyramide blush foliage, with many variable forms. Ti useful and characteristic trees of our native the Italian Cypress in beauty, is absolutely	2 50 2 00 3 50 6 00 6 00 6 00 6 00 6 00 6 00 6 00 6 00 7 1 8 0 75 1 1 50 8 0 75 1 2 50 3 50 3 50 6 00 6 00 6 00 8 0 75 1 2 50 3 3 50 6 00 8 0 75 1 2 50 3 3 50 6 00 8 0 75 5 00 6 00 8 0 75 5 00 6 00 8 0 75 8 0 75 8 0 0 0 8 0	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reach ere other shru owever, than rostrate type 10 10 10 20 00 180 32 00 300 44 00 420 40 00 50 00 32 00 32 00 30 00 32 00 32 00 32 00 32 00 32 00 32 00 32 00 32 00 32 00 32 00 32 00 33 00 34 00 50 00 32 00 32 00 34 00 50 00 32 00 32 00 32 00 32 00 33 00 34 00 35 00	of ill-abs in to 000 000 000 to ost
Is to 24 in. glabra. INKBERRY. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. PROSTRATE JUNIPER. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 18 in. 12 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. scopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginiana. Red Cedar. 15 to 60 ft. Pyramide blush foliage, with many variable forms. Ti useful and characteristic trees of our native the Italian Cypress in beauty, is absolutely I	2 500 75 2 000 3 50 6 000 1 75 3 50 6 000 1 75 3 50 6 000 1 80 80 75 1 2 50 80 75 1 2 50 80 75 1 3 50 6 00 1 00 80 75 1 3 50 6 00 1 0	6 00 50 - 22 00 32 00 32 00 soften reach restrate form or gravelly his soften reach restrate type 10 10 50 00 120 00 180 - 44 00 420 - 40 00 50 00 8 00 8 00 8 00 8 00 8 00 8	of ill-abs in to 00 00 00 to stals id-
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 fect or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 18 in. 12 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. scopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginana. Rep Cedar. 15 to 60 ft. Pyramide blush foliage, with many variable forms. The useful and characteristic trees of our native the Italian Cypress in beauty, is absolutely lexposure well. Fruit dark blue and conspicuo winter. For many effects it is the most useful	2 50 2 00 3 50 6 00 6 00 6 00 6 00 6 00 6 00 6 00 6 00 8 0 75 1 50 8 0 75 1 50 8 0 75 1 50 8 0 75 1 0 8 0 75 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reach ere other shru owever, than rostrate type 10 12 00 20 00 180 32 00 300 44 00 420 40 00 5 00 32 00 44 00 5 00 5 00 5 00 6 00	of ill-abs in to 000 000 to ost als ead-
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis aurea. 2 to 3 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 18 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. scopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginiana. Red Cedar. 15 to 60 ft. Pyramida bluish foliage, with many variable forms. Ti useful and characteristic trees of our native the Italian Cypress in beauty, is absolutely l exposure well. Fruit dark blue and conspicuo winter. For many effects it is the most useful latitudes. This is a specialty at Boxford Nurse trees up to 30 feet. We have made many not	2 500 2 000 2 2 50 3 500 6 000 best pp 17 75 3 500 6 000 best pp 18 2 50 50 50 50 50 50 50 50 50 50 50 50 50	costrate form or gravelly his servent type 10 100 120 00 180 12 00 12 00 180 00 50 00 180 00	of ill-abs in to 000 000 to sals easid-rn ge
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. seopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginiana. Red Cedar. 15 to 60 ft. Pyramida bluish foliage, with many variable forms. Thuseful and characteristic trees of our native the Italian Cypress in beauty, is absolutely exposure well. Fruit dark blue and conspicuo winter. For many effects it is the most useful latitudes. This is a specialty at Boxford Nurst trees up to 30 feet. We have made many not Cedars with uniform success.	2 50 2 00 3 50 6 00 4 50 6 00 6 00 6 00 9 10 1 75 3 50 4 50 9 10 1 75 3 50 4 50 9 10 1 75 9 10 9 10	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reacher shru owever, than 10 100 50 00 12 00 20 00 180 32 00 300 44 00 420 40 00 50 00 32 00 300 32 00 300 44 00 420 5 00 8 00 5; dark green one of the meapes. It rive and stands suging until misen for northed we can suppantings of lar we can suppantings of lar in 10 100	of ill-abbs in to 00 00 00 00 oot to ost als ed-rn sly
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. chinensis procumbens. 2 to 3 ft. communis aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. seopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginiana. Red Cedar. 15 to 60 ft. Pyramida bluish foliage, with many variable forms. Thuseful and characteristic trees of our native the Italian Cypress in beauty, is absolutely exposure well. Fruit dark blue and conspicuo winter. For many effects it is the most useful latitudes. This is a specialty at Boxford Nurst trees up to 30 feet. We have made many not Cedars with uniform success.	2 50 2 00 3 50 6 00 4 50 6 00 6 00 6 00 9 10 1 75 3 50 4 50 9 10 1 75 3 50 4 50 9 10 1 75 9 10 9 10	6 00 50 22 00 32 00 32 00 rostrate form or gravelly his often reach ere other shru owever, than rostrate type 10 10 10 20 00 180 32 00 300 44 00 420 40 00 50 00 32 00 44 00 420 40 00 50 00 32 00 44 00 420 ; dark green one of the mapes. It rivs and stands signing until misen for northed we can suppantings of lar 10 100 \$5 00 \$40 \$ 00 \$40 \$0 \$40 \$0 \$5 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$40 \$0 \$0 \$40 \$4	of ill-a bs in to 000 000 to sals ea id-rsly ge 000 000
Is to 24 in. glabra. Inkberry. 1 to 2 ft. Juniperus chinensis pfitzeriana. 9 to 12 in. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. communis aurea. 2 to 3 ft. communis depressa. Prostrate Juniper. The Juniper for ground-cover. It is at home on s sides, fully exposed to the sun, where single diameter of 15 feet or more. In shade it does w or grass will not thrive, forming a looser cove the opening. It varies in form from the compl the ascending type, 2 to 4 feet high. 12 to 18 in. 12 to 18 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. japonica aurea. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina. Savin Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sabina tamariscifolia. Grey Carpet Juniper. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. scopulorum. 6 to 9 in. 9 to 12 in. squamata. 12 to 18 in. virginiana. Red Cedar. 15 to 60 ft. Pyramida bluish foliage, with many variable forms. Ti useful and characteristic trees of our native the Italian Cypress in beauty, is absolutely l exposure well. Fruit dark blue and conspicuo winter. For many effects it is the most useful latitudes. This is a specialty at Boxford Nurse trees up to 30 feet. We have made many not	2 500 75 2 000 3 50 6 000 1 75 3 50 6 000 beauty c plantar \$0 75 1 2 50 6 00 post of the plantar \$0 75 1 2 50 5 00 3 50 6 00 1 00 6 00 1 00 6 00 1 00	costrate form of gravelly his soften reach service type 10 100 \$50 12 00 \$10 1	of ill-a bs in to 000 000 to sals ea id-rsly ge 000 000

KELSEY'S HARDY SPECIMEN EVERGREENS

CATALOG OF BOXFORD NURSERY

CATALOG OF BOXFORD	NU.	KSE.	RY
EVERGREEN TREES AND SHRUB	S. con	tinued	
Juniperus virginiana, continued	Each	10	
4 to 5 ft.	\$3.50	\$30 00	
5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	5 00	40 00	
7 to 8 ft	10 00	64 00 90 00	
8 to 9 ft 9 to 10 ft	.12 50	112 00	
10 to 12 ft	18 00	$\frac{140}{170} \frac{00}{00}$	
12 to 14 ft	25 00	220 00	
Larger sizes at special prices	.30 00	280 00	
12 to 14 ft 14 to 16 ft Larger sizes at special prices. virginiana cannarti. 12 to 18 in virginiana elegantissima. 4 to 5 ft	1 25		
virginiana glauca. Blue Virginia Cedar.	9 00		
2 to 3 tt.	2.50	22 00	
3 to 4 ft	. 3 50	30 00	
4 to 5 ft. 5 to 6 ft. virginiana globosa. Dwarf Juniper. 18 to 24 in virginiana schotti. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Kalmia angustifolia. Dwarf Laurel. 6 to 12 in latifolia. The Mountain Laurel. One of the e broad-leaved, evergreen shrubs, attaining to our southern mountains. In cultivation it is al when in full bloom, of surpassing beauty. Th	. 5 00	70.00	
virginiana globosa. Dwarf Juniper. 18 to 24 in	. 3 50	10 00	
virginiana schotti. 18 to 24 in	2 00	18 00	
3 to 4 ft	3 50	32 00	
Kalmia angustifolia. DWARF LAUREL. 6 to 12 in	. 50	4 00	
broad-leaved, evergreen shrubs, attaining to	grandes ree-like	propor	native
our southern mountains. In cultivation it is a	broad,	hick shr	ub, and
when in full bloom, of surpassing beauty. The in close terminal corymbs, pure white to pi June in such profusion as almost to smother	e whee	l-shaped near in	Mov or
June in such profusion as almost to smother	the fol	iage. It	s thick
shiny leaves, conspicuous the year round, mak value for massing. The hardiness of Kaln doubt, it being found sparingly in Nova Sco	eitas	hrub of	greatest
doubt, it being found sparingly in Nova Sco	tia and	increas	ingly in
(particularly in the higher altitudes), till the Alleghanies is reached. Here the true Americ	e crest	ne of the	outnerr e broad-
leaved ericaceæ and perfect conditions of soil	and ch	mate ar	e found
producing such luxuriance of growth as to for gorgeous beauty, miles in extent. It is for	rm ver	roughou	ingles of
Carolina, Georgia, and northern Florida, alon	g the b	anks of	streams
Carolina, Georgia, and northern Florida, alon and cypress swamps. This proves it to be a almost semi-tropical conditions as well as ext	plant	that wi	Il stand
Tore extremely valuable for the southern state	a takır	or ite nie	ano mith
the magnificent Indian Azaleas, which are no For prices of "collected" Kalmia clumps by t	t hard	y in the	North
9 to 12 in., clumps	.\$1 25	\$10 00	\$90 00
18 to 24 in., clumps	$\frac{1}{3} \frac{75}{00}$	28 00	240 00
9 to 12 in., clumps. 12 to 18 in., clumps. 18 to 24 in., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps. Leionbyllum bystolium Saya Myssys	. 4 00	36 00	340 00
2- to 4-in. spread	. 30	2 40	
2- to 4-in. spread. 9- to 12-in. spread. 12- to 18-in. spread.	. 50 . 65	4 00 6 00	
12- to 18-in. spread prostratum. MOUNTAIN HEATH. 3- to 6-in. spread Leucothoe catesbæi. Leucothoe. 3 to 8 ft. Few s broad-leaved sort have the grace of this on green leaves are evenly disposed on long, re dense racemes of beautiful, white, bell-shaped shrub or for banks and the borders of stream As an edging and "finish" for the "Rhodode pensable, and should be used freely for best ef beautiful winter decorations indoors. turning		0 00	
Leucothoe catesbæi. Leucothoe. 3 to 8 ft. Few s	brub e	4 00	e of the
broad-leaved sort have the grace of this on	e. The	thick,	shining
green leaves are evenly disposed on long, re	dower	branch	es, with
shrub or for banks and the borders of stream	s it is	without	a rival.
As an edging and "finish" for the "Rhodode	ndron	bed" it	is indis
beautiful winter decorations indoors, turning	z a ricl	ne spra	e in the
fall where exposed to the sun. My stock of the plant comprises thousands of specimens in a in diameter.	is broa	d-leaved	border
in diameter.	Each	up to	2 ½ 1eet 100
9 to 12 m	. \$0 50	\$4 40	\$32 00
12 to 18 in., clumps	1.50	8 60 14 00	120 00
2 to 3 ft., clumps	2 25	20 00	192 00
Pachysandra terminalis. 3 to 6 in	50 25	4 40 1 80	16 00
Picea alcockiana. ALCOCK SPRUCE. 3 to 4 ft	4 00	1 00	10 00
Picea alcockiana. ALCOCK SPRUCE. 3 to 4 ft 4 to 5 ft canadensis (alba). WHITE SPRUCE. 3 to 4 ft	. 5 00	22 00	
4 to 5 It	. 3 50	32 00	
5 to 6 ft	. 5 00 . 8 00	44 00	
7 to 8 ft	.10 00	76 00 90 00	
8 to 9 ft	.12 00	112 00	
9 to 10 ft 10 to 12 ft	.15 00 $.20 00$	140 00 180 00	
10 to 12 ft. 12 to 14 ft.	.25 00	224 00	
14 to 15 ft	. 30 00	3 00	20 00
9 to 12 in	. 50	4 00	30 00
12 to 18 in	. 1 00	8 00 12 00	60 00
excelsa. Norway Spruce. 2 to 3 it	. 1 00	8 00	
omorika. 7 to 8 ft	. 1 50 .10 00	12 00	
5			
\			

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY

EVI	ERGREEN TREES AND SHRUBS, continued	
	Each 10	100
Picea orient	talis. ORIENTAL SPRUCE. 3 to 4 ft\$6 00	
pungens.		50 00 70 00
	18 to 24 in	10 00
	2 to 3 ft	
	3 to 4 ft 4 00 36 00	
	4 to 5 ft	
	6 to 7 ft 9 00 80 00	
	7- to 15-ft. specimens\$10 to 50 00	
pungens l	kosteri. Koster's Blue Spruce.	
	12 to 18 in	
	2 to 3 ft 6 00 56 00	
	3 to 4 ft 9 00 86 00	
	4 to 5 ft	
	6 to 7 ft 25 00 236 00	
	7 to 8 ft	
rubra. Ri	7 to 8 ft. 30 00 EED SPRUCE. 3 to 4 ft. 2 00 18 00 4 to 5 ft. 3 00 28 00 5 to 6 ft. 5 00	
	4 to 5 ft	
Di	5 to 6 ft	
Ameri	romeda) floribunda. Andromeda. One of the choice an broad-leaved evergreen dwarf shrubs, of greatest	value
with F	Rhododendron plantings. The foliage and flower-buds are	e verv
attract	tive throughout the fall and winter season, and in early	pring
a mas	tive throughout the fall and winter season, and in early as of white flowers cover the plant. A specialty at Bory where a beautiful stock of specimens are ready for ship	oxford
Nurse	ry where a beautiful stock of specimens are ready for ship Each 10	ment.
	19 to 19 in alumna \$1.75 \$16.00 \$1	40 00
	18 to 24 in., clumps	36 00
	2 to 3 ft., clumps 3 75 36 00	
japonica.	JAPANESE FETTER BUSH. 6 to 9 in. 1 25 12 00 9 to 12 in	
Dimme enlete		
hanksians	ata. FOXTAIL PINE, 18 to 24 in 3 50 a (divaricata). JACK PINE. Remark-	
ably r	apid grower and easy to transplant. A	
good o	ornamental and very useful for reclaim-	
ing "a		20 00
		30 00 40 00
		20 00
	6 to 8 ft 4 00 36 00	20 00
	8 to 10 ft 7 00 64 00	
	10 to 12 ft	
	12 to 14 ft	
Δ 01	14 to 16 ft	
banksi	iana in thousand lots.	
cembra.	Swiss Stone Pine. 9 to 12 in 1 25 11 00 1	00 00
	12 to 18 in 2 00 18 00 1	76 00
		00 00
	2 to 3 ft	
	4 to 5 ft	
densiflora	L. JAPANESE RED PINE. Hardy and of ctive habit. Very free from diseases and	
disting	ctive habit. Very free from diseases and	
·insect	s, and one of the coming Pines for land-	
scape	work and woodlands. A fine stock. 12 to 18 in	40 00
	12 to 18 in	60 00
	2 to 3 ft 1 50 12 00	90 00
7	3 to 4 ft 2 50 20 00 1	80 00
		250 00 350 00
		50 00
flexilis. I	LIMBER PINE. Of the "White Pine sec-	
tion"	from the Rocky Mountains. Pictur-	
escure	dwarf habit silver foliage, and espec-	10.00
ally o	choice for the rocky hillside. 6 to 9 in 30 2 60	18 00
		30 00 44 00
		60 00
	2 to 3 ft. 2 00 18 00 1	50 00
	3 to 4 ft 3 00	
	4 to 5 it 5 00	
montana	5 to 6 ft	80 00
	18 to 24 in 2 00 18 00 1	60 00
	2 to 3 ft 4 00 36 00 3	300 00
	3 to 4 ft 6 00 50 00	ma F
montana	mughus. Mugho Pine. The most useful dwarf Pi	ne for
rockel	ries, ground-cover, and positions where a low-spreading effect is needed. Boxford Nursery has thousands of spec	imena
from	a few inches to several feet in diameter. The Mugho Pin	e can-
not be	e too highly recommended. Each 10	100
-	6- to 9-in Soudlings \$60 per 1 000 \$1 00	\$8 00
	6- to 12-in. spread \$280 per 1,000 \$0 50 4 00	30 00
	12- to 13-in, spread, , \$000 per 1,000. , 1 25 10 00	80 00 150 00
	2- to 3-ft. spread	300 00
		550 00
	6	

KELSEY'S HARDY SPECIMEN EVERGREENS

ATALOG OF BOXFORD NURSERY

EVERGREEN	TREES	AND	SHRUBS,	continued

Pinus nigra austriaca. Austrian Pine.		ch	1	0	100	1
18 to 24 in		00	\$8	00	\$76	00
2 to 3 ft	. 1	75	16	00	130	00
3 to 4 ft	. 3	00	28	00	250	00
4 to 5 ft		50	40			
ponderosa. Bull Pine. 1 to 2 ft. 1,000, \$350				00	48	
2 to 3 ft		00	18		150	00
3 to 4 ft		00	36			
4 to 5 ft			50			
5 to 6 ft			70			
6 to 8 ft	10	00	90	00		
pungens. Table Mountain Pine.						
6 to 8 ft		00	36	00		
8 to 9 ft		00	50			
9 to 10 ft			80	00		
resinosa. RED PINE. 12 to 18 in		60	4	00	30	
18 to 24 in		00	- 8	00	70	
2 to 3 ft		75	16		140	
3 to 4 ft		50	20	00	180	
4 to 5 ft			36	00	320	
5 to 6 ft			50	00	400	00
6 to 7 ft			70	00	200	~~
rigida. Pirch Pine. 5 to 6 ft			36	00	300	
6 to 8 ft			50		450	UU
8 to 10 ft			80	00		
10 to 12 ft		50				
strobus. WHITE PINE. Special prices will be made						
to those wishing large quantities for forest						
purposes and in car-lots. 2 to 3 ft		75		00	50	
3 to 4 ft			10		80	
4 to 6 ft			24		200	
6 to 8 ft		00	50		400	00
8 to 10 ft	10	00	80	00		
strobus nana. Dwarf White Pine. 18 to 24 i		00	10	00	00	00
sylvestris. Scotch Pine. 2 to 3 ft		25	10		80	vv
3 to 4 ft		00	18 36		320	00
6 to 8 ft		00	50		450	
8 to 10 ft		00	90		400	UU
10 to 12 ft.		50	116			
12 to 14 ft		00	110	00		
thunbergi. Japanese Black Pine. 9 to 12 j		50	3	00	20	00
12 to 18 in		75		00	40	
18 to 24 in		25		00	90	
Pseudotsuga douglasi (taxifolia). Dougl.	AS				-	-
Spruce. 6 to 9 in		35	3	00	20	00
9 to 12 in		50		00	30	
12 to 18 in		75	6	00	44	00
18 to 24 in		25	10	00	90	00
2 to 3 ft		75	16	00	140	00
3 to 4 ft		75	24	00	220	00
4 to 5 ft		50	32	00		
5 to 6 ft	5	00	44	00		
6 to 7 ft		00		00		
7 to 8 ft		00	76	00		
8 to 9 ft	10	00	96	00		
douglasi glauca. Silver Douglas Spruce.						
2 to 3 ft						
3 to 4 ft	6	00				

Rhododendron carolinianum. A new American species. Clear pink. Absolutely hardy. This is one of our finest introductions and fills a long-felt want for a hardy dwarf Rhododendron with flowers free from any hint of magenta. It was described and named by Alfred Rehder, of the Arnold Arboretum. It is the smallest Alleghanian species, attaining a height of 6 to 8 feet in cultivation. The thick-set leaves are dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either Maximum or Catawbiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well and invaluable as a single specimen standing exposure unusually well and invaluable as a single specimen

standing exposure of the Carolina mountains. The hardiest of all Rhodo-2 to 3 ft., clumps. 6 00 56 00

catawbiense. Of the Carolina mountains. The hardiest of all Rhododendrons. It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardens, where ironelad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet. Considering the extreme hardiness, color of flower, compact growth, and remarkable texture of foliage, which is a deep, shining, we can recommend the true native Catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendron stail. Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy, half-breed imported variety), and as sent out by Highlands Nursery is always on its

KELSEYS Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY



The true Rhododendron catawbiense

EVERGREEN TREES A	ND SHRUBS, con	ıtin	ued		
Rhododendron catawbiense, cont					
own roots. For massing to pr					
scape effect, there is no plan	it equal to it in the	lati	tude	e of	the
northern United States and					
must be employed.	Each		0	10	
9 to 12 in., clumps	\$1 25				
12 to 18 in., clumps		16		150	
18 to 24 in., clumps			00	220	
2 to 3 ft., clumps			00	350	
3 to 4 ft., clumps			00	540	00
4 to 5 ft., clumps		86	00		
5 to 6 ft., clumps	12 50				
catawhiense hybrids. 12 to 18 in	n 2 50		00	220	
18 to 24 in			00	320	00
24 to 30 in		48	00		
The following varieties in stock:					
Abraham Lincoln	gloriosum				
album elegans	gloriosum album				
Boule de Neige	Hannibal				
candidissimum	H. H. Hunnewell				
caractacus	H. W. Sargent				
catawbiense album	Ignatius Sargent				
Charles Bagley	Kettledrum				
Charles Bagshot	Lady Clermont				
Charles Dickens	maximum superbur	n—ı	ed		
Charles S. Sargent	Mrs. C. S. Sargent				
C. S. Rand	Mrs. Milner				
delicatissimum	Old Port				
elegans E. S. Rand	Parsons' gloriosum Parsons' grandiflori				
everestianum		ım			
F. D. Godman	purpureum elegans				
	roseum elegans roseum luteum				
lætevirens (wilsonianum). 12 to		000	00		
18 to 24 in			00		
2 to 2½ ft			00		
maximum. White. 12 to 18 in.	60		00	46	00
18 to 24 in			00		00
2 to 3 ft	1 50		00	10	VV
18 to 24 in., clumps			00		
2 to 3 ft., clumps			00		
3 to 4 ft., clumps	4 50	40			
4 to 5 ft., clumps		10	00		
myrtifolium. 12 to 18 in	2 50	22	50		
18 to 24 in			50		
Taxus baccata repandens. 2 to 3	ft				
3 to 4 ft	6 00				
canadensis. Canadian Yew. 6 t	o 9 in 75	7	00	60	00
9 to 12 in			00		00
				-	
8	8				

HARDY SPECIMEN KELSEY'S EVERGREENS

CATALOG OF BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, continued

77 1		***
Each	10	100
Taxus cuspidata (capitata). 9 to 12 in\$1 00	\$9 00	
cuspidata brevifolia. 6 to 9 in 1 00		
12 to 18 in 1 50		
18 to 24 in 3 50		
Thuja occidentalis. American Arborvitæ.		
6 to 9 in\$60 per 1,000 15	1 00	\$7 00
9 to 12 in \$80 per 1,000 20	1 60	10 00
12 to 18 in 40	3 00	24 00
18 to 24 in	4 40	36 00
2 to 3 ft 1 00	7 00	50 00
3 to 4 ft 1 50	14 00	120 00
4 to 5 ft	20 00	180 00
5 to 6 ft 3 50	30 00	
6 to 8 ft 4 50	40 00	
8 to 9 ft 6 00		
occidentalis aurea. Golden Arborvitæ.		
4 to 5 ft		
5 to 6 ft 4 00		
6 to 7 ft 6 00		
occidentalis pyramidalis. Pyramidal Arbor-		
VITÆ. 12 to 18 in	6 00	50 00
18 to 24 in		70 00
2 to 3 ft		120 00
3 to 4 ft		180 00
4 to 5 ft		100 00
5 to 6 ft		
6 to 7 ft 7 00		
7 to 8 ft 9 00		
occidentalis wareana. 2 to 3 ft 3 00		
3 to 4 ft		
0.00 2.000		
orientalis elegantissima. 18 to 24 in		
2 to 3 ft 2 50		
3 to 4 ft 4 00		
4 to 5 ft 6 00		
Tsuga canadensis. Canadian Hemlock. 6 to 9 in. 35		28 00
9 to 12 in 50		40 00
12 to 18 in 1 00		86 00
18 to 24 in 1 50		132 00
2 to 3 ft 2 00		176 00
3 to 4 ft 3 00		260 00
4 to 5 ft 4 50		400 00
5 to 6 ft 6 50		576 00
6 to 7 ft 8 50		760 00
7 to 8 ft12 00		
8 to 10 ft		
10 to 12 ft)	

8 to 10 ft...
10 to 12 ft.

caroliniana. Carolina Hemlock. For description and illustration of this finest of American conifers, see front page cover.
6 to 9 in......\$476 per 1,000...
9 to 12 in.......\$760 per 1,000... $60 \\ 00 \\ 50 \\ 25 \\ 00$ 59 00 00 00 00 14

sieboldi. 00 6 00

Deciduous Trees and Shrubs

cer dasyca	arpum. See saccharinum.	Es	ich	1	0	10	0
	12 to 18 in	\$0	60				
	2 to 3 ft	2	00	\$16	00		
	6 to 8 ft	3	00	24	00		
	8 to 10 ft	4	00	30	00		
platanoid	les. Norway Maple. 8 to 10 ft	2	00	18	00	\$176	00
	10 to 12 ft			24	00	224	00
	12 to 14 ft			44	00	420	00
	14 to 16 ft., 3- to 31/2 in. caliper			-	-		
	specimens		00	110	00		
rubrum.			50	4	00		
	4 to 5 ft		75		00		
	5 to 6 ft				00		
	6 to 8 ft		00		00		
	8 to 10 ft		00	26	00		
saccharir	ium. Silver Maple. 18 to 20 ft				0.0		
	um wieri. Cut-Leaved Maple.	1.0	00				
saccuarii	14 to 16 ft	10	00				
					00	20	00
saccharu	m. Sugar Maple. 2 to 3 ft		40		60		00
	3 to 4 ft		60	4	40	40	00
	4 to 6 ft		75		00		00
	6 to 8 ft		25	10		88	00
	8 to 10 ft	2	00	18	00		
spicatum	. MOUNTAIN MAPLE.				~~		00
	6 to 12 in, Seedlings \$60 per 1,000.		00	- 1	00		00
	1 to 2 ft. Seedlings \$80 per 1,000		20	1	20	10	00
	2 to 3 ft. Seedlings		25	2	00		

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

ATALOG OF BOXFORD NURSERY

DECIDUOUS TREES	AND	SHRUBS,	continued
-----------------	-----	---------	-----------

	DECIDE OCC TREES MILD SHREEDS, COM	unaca	
	Amelanchier canadensis (botryapium). Shad- Each	10	100
	Bush. 4 to 6 ft\$0 60	\$4 00	
	6 to 8 ft 80	6 00	
	8 to 10 ft 1 00	8 00	
•	Amorpha microphylla. 1 to 2 ft	4 00	
		* 00	010 00
	1 to 2 ft. Seedlings\$80 per 1,000 15	1 20	\$10 00
	Aronia arbutifolia. Red Chokeberry. 1 to 2 ft. 60	5 00	40 00
	2 to 3 ft 1 00	8 00	60 00
	3 to 4 ft 1 25		
	4 to 5 ft		
	melanocarpa (nigra). Black Chokeberry.		
	6 to 12 in	2 00	18 00
	1 to 2 ft 40	3 00	24 00
	2 to 3 ft	5 00	40 00
	3 to 4 ft 80	7 20	60 00
	4 to 5 ft	8 00	72 00
	melanocarpa grandiflora. 2 to 3 ft	4 00	36 00

Hardy American Azaleas

The American Azaleas are among the choicest of all ornamentals, whether

•

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands Nursery.

They are seen at their best when planted in large masses and in properly prepared beds, and they richly repay any unusual eare given them. Like most ericaceous plants, they love deep, moist, well-drained soil, and these showy native species are particularly adapted to planting in shrub borders and with Rhododendrons, their brilliant blossoms being set off by a background of dark foliage. Azaleas can be successfully grown almost anywhere, following same instructions given for Rhododendrons. The complete hardiness of all the species we offer is unquestionable. No American shrubs equal the native Azaleas, particularly Azalea lutea, for woodland and hillside plantings.

Our cold Carolina mountains have added no more beautiful plants to gardens than these American Azaleas, not even excepting the magnificent broad-leaved evergreen Rhododendrons of world-wide fame.

Azalea arborescens. Fragrant White Azalea. 5 to 15 ft. In June the

Azalea arborescens. Fragarant White Azalea. 5 to 15 ft. In June the delightfully spicy fragrant white flowers, with pink stamens, appear in profusion, lasting for weeks. Becomes a spreading clump 3 to 6 feet broad in cultivation; easy culture. The foliage of this variety often colors striking shades of red in late autumn, and is the best of all the genus. The clumps offered have from twenty-five to one hundred stems and are heavily budded with enormous balls.

					100	
12 to 18 in., clumps	.81	75	\$16	00	\$140 00	
18 to 24 in., clumps	. 3	00	28	00	260 00	
2 to 3 ft., clumps	. 4	50	42	00	400 00	
3 to 4 ft., clumps	. 7	00	64	00	600 00	
gandavensis. GHENT AZALEA. 12 to 18 in	. 1	50	14	00		
2 to 3 ft	. 3	00	24	00		
lutea (calendulacea). GREAT FLAME AZALEA.	6	to	15 ft	. 7	he most	

ea (calendulacea). Great Flame Azalea. 6 to 15 ft. The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Bartram, speaking of it in his "Travels," calls it the "fiery Azalea," and says: "This cpithet fiery' I annex to this most celebrated species of Azalea as being expressive of the appearance of its flowers, which are in general of the color of the finest red lead, orange, and bright gold as well as yellow and cream-color. This is certainly the most gay and brilliant-flowering shrub yet known." No more striking landscape effect can be produced than a hillside of Azalea lutea in full bloom. Nearly all quoted above 18 inches are budded. These Azalea lutea are splendid clumps, with a mass of buds, and range in color from light sulphur-yellow to deep red. Where the colors are picked, a special charge will be made.

will be made.	100	acn	10	100
12 to 18 in., clumps	 \$1	00	\$9 00	\$80 00
18 to 24 in., clumps	 2	00	18 00	172 00
2 to 3 ft., clumps	 3	00	28 00	260 00
3 to 4 ft., clumps	 5	00	48 00	440 00
4 to 5 ft., clumps	 8	00		
mollis. 18 to 24 in	 2	00	18 00	
2 to 3 ft	 3	00	28 00	
nudiflora. PINXTER FLOWER.				
10 4- 04 :1	0	00	10 00	

4 00

CATALOG OF BOXFORD NURSERY



Azalea arborescens

DECIDUOUS TREES AND SHRUBS, continued

Azalea viscosa. EARLY WHITE AZALEA. Ea	ch	10	100
12 to 18 in., clumps\$1	00	\$8 00	\$72 00
18 to 24 in., clumps 1	75	16 00	140 00
2 to 3 ft., clumps 3	00	28 00	260 00
3 to 4 ft., clumps 4	00	36 00	
4 to 5 ft., clumps, very heavy 6	00	52 00	
5 to 6 ft., clumps, very heavy10	00		
vodogawa. 12 to 18 in 2	50	24 00	
Azalea, Aronia and Clethra (growing together).			
2 to 5 ft., clumps, very heavy\$3 to 6	00		
Berberis canadensis. American Barberry.			
1 to 2 ft	50	4 00	
regelianum. 18 to 24 in	60	4 80	
2 to 3 ft 1	00		
sieboldi. 1 to 2 ft	30	2 80	24 00
2 to 3 ft	40	3 60	32 00
sinensis. 18 to 24 in	60	4 80	
thunbergi. Japanese Barberry. 12 to 18 in	40	3 20	28 00
18 to 24 in	60	4 80	40 00
thunbergi var. Box-Barberry. New. 9 to 12 in. 1		12 00	
thunbergi maximowiczi. 18 to 24 in	60	4 80	
vulgaris. Common Barberry.			
6 to 12 in. Seedlings	15	75	4 00
6 to 12 in\$80 per 1,000	25	1 60	12 00
1 to 2 ft	35	2 40	20 00
Betula alba. European White Birch.			
10 to 20 ft	00		
alba laciniata. European Cut-leaved Birch.			
	50		
lenta. Black Birch. 1 to 2 ft	60	4 00	
2 to 3 ft	75	6 00	
	00		
12 to 14 ft			
	00	0.00	
nigra (rubra). RIVER BIRCH. 6 to 8 ft 1	00	8 00	00.00
papyrifera. PAPER BIRCH. 6 to 8 ft	25	10 00	80 00 160 00
8 to 10 ft	50	20 00 8 00	100 00
populifolia. GRAY BIRCH. 7 to 8 ft	00		
12 to 14 ft 3	00	24 00	48 00
Buddleia veitchiana. 2 to 3 ft	75	6 00 2 80	48 00
Calycanthus floridus. Sweet Shrub. 1 to 2 ft.	40	2 00	
Caragana arborescens. PEA TREE. 3 to 4 ft	60	3 60	
arborescens cuneifolia. 1 to 2 ft	40		49.00
Carpinus caroliniana. WATER BEECH. 4 to 6 ft.	75	6 00	48 00 80 00
6 to 8 ft		10 00	80 00
8 to 10 ft		20 00	
10 to 12 ft 4		4 00	
Castanea pumila. CHINKAPIN. 1 to 2 ft	50	4 00	
2 to 3 ft	80	6 00	
3 to 4 ft 1	00	8 00	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRU	BS, co	ntinued	
Catalpa speciosa. 6 to 8 ft	Each \$1 00	10 \$6 00	100
Cephalanthus occidentalis. Button Bush. 1 to 2 ft	35	2 80	
Cercidiphyllum japonicum. Kadsura. Tree 1 to 2 ft	60	4 00	
2 to 3 ft Cercis canadensis. Red-Bud. 4 to 5 ft Chionanthus virginica. White Fringe. 18 to 24 in	75	7 20	
2 to 3 ft 3 to 4 ft., heavy	1 00	$\begin{array}{c} 4 & 00 \\ 8 & 00 \\ 18 & 00 \end{array}$	
Clethra acuminata. Mountain Pepper Bus 12 to 18 in 18 to 24 in 2 to 3 ft.	40	3 20 4 40 7 60	
2 to 3 ft alnifolia. Sweet Pepper Bush. 12 to 18 in., clumps 3 to 4 ft., clumps		4 00 8 00	•
tomentosa. 6 to 9 in. Seedlings. 9 to 12 in. Seedlings.	30	2 80 4 00	
2 to 3 ft	30	$\begin{array}{cccc} 2 & 40 \\ 4 & 00 \end{array}$	
florida rubra. Red-flowering Dogwood. 3 to 4 :	ft. 1 25	22 00	
3 to 4 ft	4 00	36 00 56 00	
		76 00	
kousa. Japanese Dogwood. 4 to 5 ft. mas. Connellan Cherry. 6 to 7 ft. paniculata (racemosa). 1 to 2 ft. 2 to 3 ft. rugosa (circinata). 2 to 3 ft. stolonifera. Rep. Onler. Convey. 1 to 2 ft.	3 00		
paniculata (racemosa). 1 to 2 ft	35	3 00 4 00	
rugosa (circinata). 2 to 3 ftstolonifera. RED OSIER CORNEL. 1 to 2 ft 2 to 3 ftstolonifera aurea. Yellow Osier Cornel.	60	$\frac{4}{3} \frac{00}{60}$	
1 to 2 ft	4.0	4 00 3 60	e20 0
2 to 3 ft. 3 to 4 ft.	60	4 00	\$32 00
4 to 5 it	. 1 75	8 00 16 00	
Corylus americana. Hazelnut. 1 to 2 ft 2 to 3 ft	50	3 20 4 00 3 20	
2 to 3 ft	50	4 00	
3 to 4 ft Cotoneaster francheti. 1½ to 2½ ft horizontalis (davidiana). 9 to 12 in		6 00 10 00	
12 to 18 in	. 1 50	14 00 18 00	
Tatorizonisiis (davidiana). 9 to 12 in. 12 to 18 in. Tratægus arkansana. 6 to 12 in. Seedlings arnoldiana. 6 to 12 in.	40	2 40	
2 to 3 ft crus-galli. Cockspur Thorn. 3 to 4 ft 4 to 6 ft	1 00	8 00 6 00	
monogyna. 1 to 2 ft	. 1 25	10 00 4 00	
nitida. 1 to 2 ft prunifolia. 6 to 12 in. Seedlings. punctata. 3 to 4 ft	. 60	$\frac{4}{3} \frac{00}{20}$	36 00
4 to 5 ft	. 75	$\frac{4}{6} \frac{40}{00}$	
		10 00 16 00	
oto 7 ft. oto 7 ft. rotundifolia (glandulosa). 3 to 4 ft. tomentosa. 12 to 18 in. ydonia japonica. Japan Quince. 18 to 24 in. maulei. 9 to 12 in.	. 75	6 00 4 40	
ydonia japonica. Japan Quince. 18 to 24 in. maulei. 9 to 12 in.	. 50	4 00 3 60	
maulei superba. 1 to 2 ft	60 25	4 00 1 80	16 00
rydonia japonica. Japan Quince. 18 to 24 in. maulei. 9 to 12 in maulei superba. 1 to 2 ft. biervilla rivularis. 6 to 12 in. Seedlings. 1 to 2 ft. Seedlings. sessilifolia. Bush Honeysuckle. 1 to 2 ft. 2 to 3 ft.	35	3 20 4 00	24 00 32 00
uonymus alatus. Wingen Rupeing Brest		6 00	
2 to 3 ft 3 to 4 ft., extra heavy 4 to 5 ft. extra heavy.	. 1 25	$\frac{10}{18} \frac{00}{00}$	
americanus. Strawberry Bush. 1 to 2 ft bungeanus. 1 to 2 ft	. 40	32 00 3 60 5 00	40 00
2 to 3 ft 3 to 4 ft 4 to 5 ft		12 00	
4 to 5 ft. europæus. Burning Bush. 2 to 3 ft. 3 to 4 ft.	. 1 75	4 00	
		1 80	16 00
1 to 2 ft		$\frac{4}{12} \frac{00}{00}$	
agus americana. American Repout 1 to 2 ft	. 2 00	$\frac{18}{6} \frac{00}{00}$	
3 to 4 ft		10 00	
sylvatica. English Beech. 1 to 2 ft.	. 1 00	8 00	

KELSEY'S HARDY SPECIMEN EVERGREENS

DECIDUOUS TREES AND SHRUB		con	tinued	
Forsythia intermedia. Hybrid Golden Bell. 1 to 2 ft	Ea		10	100
5 to 6 ft	. 1	00	\$1 80 8 00	
6 to 7 ft	. 1	25 00	10 00 18 00	
suspensa fortunei. Golden Bell. 2 to 3 ft 3 to 4 ft		35	3 20	
4 to 5 ft		60 75	5 00 6 00	
5 to 6 ft	. 1	00 50	$\frac{8}{12} \frac{00}{00}$	
suspensa sieboldi. 1 to 2 ft		40	2 40	
Fraxinus americana. American Ash. 6 to 8 ft	•	75 75	6 00	\$50 00
8 to 10 ft	. 1	25 00	10 00 18 00	80 00
19 to 14 ft	- 0	50	22 00	
Genista tinctoria. Woadwaxen. 6 to 12 in. Seedlings. Gleditsia triacanthos inermis. Honey Locust		25	1 80	
Gleditsia triacanthos inermis. Honey Locust 2 to 3 ft		40	3 20	
3 to 4 ft		60	5 00	
4 to 6 ft Halesia carolina monticola. Silver Bell. 6 to 12 in	. 1	00	8 00	
6 to 12 in		40	3 20 5 00	
1 to 2 ft	. 1	60 00	5 00	
3 to 4 ft	. 1	50 00		
4 to 6 ft	_		1 00	10.00
1 to 2 ft. Seedlings		25 60	1 80 4 00	16 00 36 00
Hypericum aureum, Golden St. John Work		60	4 00	
paniculata. 18 to 24 in. Hypericum aureum. GOLDEN ST. JOHN WORT. 1 to 2 ft. Seedlings. 2 to 3 ft. Seedlings.		20	1 00	8 00
18 to 24 in		25 50	$\frac{1}{4} \frac{60}{00}$	12 00 30 00
bucklei. Dwarf, 6 to 9 in. spread		$\frac{60}{35}$	4 00 3 00	36 00 24 00
2 to 3 ft		50	4 00	21 00
prolificum. 1 to 2 ft		40	3 60 3 60	
verticillata. Black Alder. 1 to 2 ft		$\frac{50}{75}$	4 00 6 00	32 00 50 00
2 to 3 ft	. 1	25	0 00	30 00
7 to 8 ft	. 4	00		
leptolepis (kaempferi). Japanese Larch. 12 to 18 in		75	6 00	
18 to 24 in	. 1	00	8 00	
2 to 3 ft	$\begin{array}{c} 1 \\ 2 \end{array}$	50 00	12 00	
Leucothoe recurva. 12 to 18 in		$\frac{40}{60}$	3 00 5 00	40 00
Ligustrum acuminatum. 6 to 12 in. Seedlings		25	1 60	12 00
amurense. Amoor River Priver. Norther:	n	35	3 20	
amurense. Amoor River Priver. Norther form. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft.		$\frac{25}{40}$	$\frac{2}{3} \frac{00}{20}$	18 00 24 00
3 to 4 ft ibota regelianum. Regel Privet. 1 to 2 ft		60	4 00	21 00
2 10 5 11		35 60	$\frac{3}{4} \frac{20}{00}$	36 00
Lonicera chrysantha turkestana. 1 to 2 ft	. 1	00 60	8 00 4 00	
involucrata havescens. 3 to 4 it	. 1	00	. 00	
morrowi. Japanese Bush Honeysuckle. 1 to 2 ft. 2 to 3 ft. muendeniensis. 1 to 2 ft. Seedlings. 2 to 3 ft. segreziensis. 1 to 2 ft. Seedlings.		40	3 20	
2 to 3 ft	-	60 30	$\frac{4}{2} \frac{00}{40}$	
2 to 3 ft		70	6 00 3 20	
18 to 24 in trichosantha. 2 to 3 ft		$\frac{40}{75}$	3 20	
trichosantha. 2 to 3 ft		75 60	4 00	
2 to 3 ft		75	6 00	
3 to 4 ft Malus angustifolia. 12 to 18 in	. 1	60	4 00	
haccata, Eloweping Chap 2 to 3 ft		50 75	$\frac{4}{6} \frac{00}{00}$	
3 to 4 ft. cerasiformis rubra prunifolia. 2 to 3 ft. coronaria. Native Crab. 2 to 3 ft. floribunda. 1 to 2 ft. 2 to 3 ft.		75		
floribunda. 1 to 2 ft	:	60 40	$\frac{4}{3} \frac{00}{20}$	
2 to 3 ft		60 75	$\frac{4}{6} \frac{00}{00}$	36 00 50 00
4 to 5 ft	. 1	00	8 00	
floribunda atrosanguinea. SCARLET CRAB.	,	60	4 00	36 00
3 to 4 ft	. 1	75 25	$\frac{6}{10} \frac{00}{00}$	50 00
ioensis. 1 to 2 ftniedzwetzkyana. Red-Flowering Crab.		25 75	6 00	
1 to 2 it	-	60	4 00	
3 to 4 ft	. 1	75 00	6 00 8 00	
	_	-		

KELSEYS Hardy American Plants Rhododendrons and Azaleas CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES AND SHRUB	S, cor	atinued	
Malus prunifolia rinki. 3 to 4 ft		10	100
sargenti. 4 to 6 ft	60 1 00	\$5 00 8 00 12 00	\$40 00
toringo. 2 to 3 ft	75	6 00 8 00	
Myrica carolinensis (cerifera). Northern Bay- Berry, 6 to 9 in 9 to 12 in 12 to 18 in	30 40 60	2 40 3 20 5 00	$\begin{array}{ccc} 20 & 00 \\ 24 & 00 \end{array}$
gale. Sweet Gale. 12 to 18 in	40	3 20 5 00	24 00 40 00
1 to 2 ft 2 to 3 ft 3 to 4 ft	1 00 1 50	5 00	
Ostrya virginiana. Ironwood. 4 to 6 ft	2 00	12 00	
1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. Phellodendron amurense. 1 to 2 ft. Seedlings. sachalinense. 1 to 2 ft. Seedlings. 2 to 3 ft. Seedlings. 3 to 4 ft. Seedlings.	80 1 75	3 60 5 00 7 20 16 00 2 40 2 00 2 40	32 00 40 00 60 00 144 00 16 00 20 00
8 to 10 ft. Specimens	5 00	44 00	
Populus deltoides. Carolina Poplar. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. maximowiczi. 3 to 4 ft.	1 75 3 50	10 00 16 00 30 00	
6 to 8 ft	2 00	18 00	
2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	1 50	2 00 3 20 4 00 8 00 12 00 18 00	16 00 24 00 36 00 60 00
Prunus americana. WILD PLUM. 2 to 3 ft. Seedlings	25 40	1 80 3 20	16 00 24 00
3 to 4 ft	75 40 60	6 00 3 60 5 00 8 00	50 00 32 00 40 00
maritima. BEACH PLUM. 1 to 2 ft pumila. SAND CHERRY. 9 to 12 in 1 to 2 ft. Seedlings tomentosa. Japanese Wild Cherry.	60	4 00 3 20 4 00	24 00
tomentosa. Japanese Wild Cherry. 2 to 3 ft. Seedlings. 1 to 2 ft. 3 to 4 ft. virginiana. Red Choke Cherry.	. 40 50	2 40 4 00 8 00	20 00
1 to 2 ft. Seedlings	30	2 00	
Quercus coccinea. Scarter Oak. 8 to 10 ft 10 to 12 ft 12 to 14 ft macrocarpa. Mossy-Cup Oak. 8 to 10 ft palustris. Pin Oak. 10 to 12 ft	4 00 6 00 8 00 5 00 8 00 4 00	2 00	
12 to 14 ft	6 00 8 00 2 00 3 00	50 00 70 00 28 00	
10 to 12 ft	4 50 6 00 40	40 00 50 00 3 60 8 00	
Rhodora canadensis. Rhodora. 12 to 18 in. buds.		10 00	90 00
Rhodotypos kerrioides. WHITE KERRIA. 2 to 3 ft	50	4 00 6 00	
Rhus canadensis (aromatica). SWEET-SCENTED SUMAC. 6 to 12 in	25 35	1 60 3 20 8 00	
Robinia keiseyi. Flowering Locust. 2 to 3 ft viscosa. 3 to 4 ft Rosa carolina. 12 to 18 in. Seedlings. coriifolia. 12 to 18 in. lucida. Glossy Rose. 12 to 18 in. 18 to 24 in.	20 40 35	8 00 1 00 2 40 3 20 4 40	8 00

KELSEY'S HARDY SPECIMEN EVERGREENS

	_		
DECIDUOUS TREES AND SHRUBS,	cont	inued 10	100
Rosa lucida alba. 6 to 12 in	80 00	\$7 20 8 00	\$60 00
macrophylla. 2 to 3 ft	00 25	1 80 2 00	16 00
nutkana. 6 to 12 in. Seedlings	30 40	2 40	20 00
nutkana hispida. 6 to 12 in. Seedlings	40	2 40	20 00
rugosa. Japanese Rose. 1 to 2 ft	40 75	$\begin{array}{c} 2 & 40 \\ 6 & 00 \end{array}$	50 00
rugosa alba. White Japanese Rose. 1 to 2 ft.	50	4 00 4 00	30 00
semenovi. 1 to 2 ftspinosissima. Scorch Rose. 1 to 2 ft	60 75	6 00	50 00
woodsi. 1 to 2 ft	$\frac{40}{60}$	3 20 5 00	
Rubus deliciosus. Rocky Mountain Flowering Raspberry. 6 to 12 in	75 35	$\begin{array}{ccc} 6 & 00 \\ 3 & 20 \end{array}$	
SALIX. Our collection of Willows covers almost all	the	species	that are
planted in the Arnold Arboretum, and we hat quantities that have lately been discovered in Many of the Willows are charming dwarf and standard to the Willow are charming dwarf and standard to sometimes covered with a white bloom. The showy and range from tiny balls of down to a Most of them thrive well in both dry soils and tions.	Chin emi- end g catki	a and el prostrate creen bra ins are en en yellov	sewhere. e shrubs, anchlets, ktremely v spikes.
acutifolia. 15 to 25 ft. Branchlets dark-colored,	a ah	10	100
covered with bloom; long, narrow leaves. E	ach 40	\$3 20	100
5 to 6 ft	60 60	4 00	\$36 00
alba. White Willow. Large tree. 3 to 4 ft	80	7 20	60 00
alba calva. Tree to 50 feet, with bluish green, smooth foliage. Pyramidal habit. 3 to 4 ft 4 to 5 ft	40 60	$\begin{smallmatrix}3&20\\4&00\end{smallmatrix}$	
alba splendens (regalis). ROYAL WILLOW. 30 to 60 ft. Very rich silvery foliage; fine as a single			
specimen or in groups. 4 to 5 ft	60 75	$\frac{4}{6} \frac{00}{00}$	36 00 50 00
ambigua. 2 to 3 ft. With creeping stems; smooth branchlets; fine sort. 1 to 2 ft austriaca (grandifolia × purpurea). Tall	40	3 20	
shrub or small tree, with medium-sized broad- ish leaves, grayish below. 2 to 3 ft	40 60	3 20 4 00	
babylonica var. From China. 40 to 60 ft. Wavy bright green foliage; very pendulous branches. 3 to 4 ft	. 00		
blanda. Wisconsin Weeping. Medium tree. Glaucous foliage. 4 to 5 ft	60	5 00	
cinerea. 15 to 25 ft. Tomentose branchlets; leaves downy on both sides. 2 to 3 ft 5 to 6 ft	40	3 20	24 00
5 to 6 ft	75 40	6 00 3 20	50 00
2 to 3 ft	60 80	5 00 7 20	
elegantissima. Thurlow's Weeping Willow. 40 to 60 ft. Rapid growth; one of the best of	50	1 20	
the pendulous forms, Z to 3 it	30 50	2 40 4 00	20 00 32 00
3 to 4 fterdingeri cremensis. Tall shrub; broad leaves, pubescent. 5 to 6 ft	75	6 00	
fragilis bullata. Tall shrub of compact habit, with large, smooth leaves. 1 to 2 ft	30 60		
fragilis var. Tall shrub with rather narrow, smooth leaves. 2 to 3 ft	40 60		
glaucophylla. Shrubby; striking thick foliage; one of the best. 2 to 3 ft	60 80		
gracilistyla. Fine. Shrub; young branchlets tomentose; older reddish brown; acute leaves; large catkins appearing earlier than those of any other willows. 1 to 2 ft	40		
grandifolia. Shrub to 10 feet with rather large, broad leaves, bluish below.	40	0.00	
hastata, female. Shrub to 6 feet. Young branch- lets pubescent; older brown; serrate leaves.	40		
1 to 2 ft 2 to 3 ft Incana. A tall shrub or tree to 30 fect. 12 to 18 in. 2 to 3 ft	40 60 40 60	5 00 3 20	
15			

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY

Stop	DECIDUOUS TREES AND SHRUB	S, con	tinued	
Lattiolia (caprea × myrsinitolia). Tall shrub or small tree with rather broad, medium-sized leaves. 1 to 2 ft	Salix irrorata. Colorado Willow, Dwarf.	Each		100
Lattiolia (caprea × myrsinitolia). Tall shrub or small tree with rather broad, medium-sized leaves. 1 to 2 ft	læstadiana (cinerea × lapponica). Low shrub; pubescent branchlets; flowers before the	\$0 40	\$3 20	
Lucida. Tall shrub or tree to 20 feet, with large shining long-pointed leaves; male catkins late, golden yellow; very handsome. 2 to 3 ft. 3 to 4 ft. 3 to 4 ft. 40 3 20 \$20 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$4	leaves. 1 to 2 ft	40	3 20	
shining long-pointed leaves; male catkins late, golden yellow; very handsome. 2 to 3 ft. 3 to 4 ft. 60 5 00 5 00 5 to 6 ft. 1 difficans. Shrubby, smooth leaves, glaucous beneath. 2 to 3 ft. 60 5 00 5 to 6 ft. 61				
Number Shrubb S	shining long-pointed leaves; male catkins late, golden yellow; very handsome. 2 to 3 ft.	40		\$24 00
leaves, glabrous above and woolly underneath. 2 to 3 ft.	ludincans. Shrubby, smooth leaves, glaucous			
myrtilloides, female. 2 to 3 ft. Shrub or tree; very showy foliage. 3 to 4 ft. 60 5 00 40 (4 to 5 ft. 80 7 20 merifiolia (purpurea × grandiflora). 3 to 6 feet. Shrub; young branchlets pubescent, later smooth green or brown. 2 to 3 ft. 60 5 00 40 (pentandra. LAUREL-LEAVED WILLOW. 40 to 60 feet. Shiny foliage; rapid grower. 1 to 2 ft. 30 2 40 3 20 4 to 6 ft. 60 5 00 40 (get Shiny foliage; rapid grower. 1 to 2 ft. 80 7 20 4 to 6 ft. 60 5 00 40 (petiolaris. Shrub to 10 feet, with narrow leaves. 3 to 4 ft. 80 7 20 phylicitolia. 3 to 5 feet. Branchlets smooth; polished, glossy foliage. 12 to 18 in. 60 5 00 7 20 phylicitolia crowlana. Shrub to 5 feet, with stout branches and rather broad leaves, whitish below. 1 to 2 ft. 60 5 00 7 20 phylicitolia crowlana. Shrub to 5 feet, with slender purple branches, and rather small, narrow leaves. Much used for fine basketwork abroad. 3 to 4 ft. 60 5 00 7 20 purpurea. Shrub or small tree to 15 feet, with slender purple branches, and rather small, narrow leaves. Much used for fine basketwork abroad. 3 to 4 ft. 60 5 00 7 20 purpurea kecksi. Little different from S. purpurea 4 to 5 ft. 60 5 00 7 20 purpurea amplexicaulis. Small tree. Similar to S. purpurea, but leaves broader. 1 to 2 ft. 60 5 00 7 20 purpurea sericea. Small tree. Similar to S. purpurea with slender purple branches. 2 to 3 ft. 60 5 00 7 20 7 20 7 20 7 20 7 20 7 20 7 2	leaves, glabrous above and woolly underneath			
Neriifolia (purpurea × grandifiora). 3 to 6 feet. Shrub; young branchlets pubescent, later smooth green or brown. 2 to 3 ft		60	5 00 7 20	
Serice Shrub; young branchlets pubescent, later smooth green or brown. 2 to 3 ft 60 5 00	myrtilloides, female. 2 to 3 ft. Shrub or tree; very showy foliage. 3 to 4 ft		5 00	40 00
Pentandra. LAUREL-LEAVED WILLOW. 40 to 60 feet. Shiny foliage; rapid grower. 1 to 2 ft.	feet. Shruh young branchlets pubescent		F 00	
2 to 3 ft	pentandra. Laurel-Leaved Willow, 40 to 60 feet. Shiny foliage; rapid grower, 1 to 2 ft		2 40	20 00
## Petiolaris. Shrub to 10 feet, with narrow leaves. 3 to 4 ft	2 to 3 tt	40 60	3 20 5 00	40 00
Paylicitional	petiolaris. Shrub to 10 feet, with narrow leaves. 3 to 4 ft	60	5 00	
## Sto 4 ft	phyticiona. 3 to 5 feet. Branchlets smooth;			24 00
Page Laves. 3 to 4 ft	3 to 4 ft phylicifolia crowiana. Shrub to 5 feet, with stout branches and rather broad leaves	60	5 00	
Serious Strub or small tree to 15 feet, with slender purple branches, and rather small, narrow leaves. Much used for fine basketwork abroad. 3 to 4 ft. 40 3 20 4 to 5 ft. 60 5 00				
## A to 5 ft	slender purple branches, and rather small,	40	3 20	
### Purpure A etc. St.				
### 10 Stt		60		
or small tree with slender purple branches. 2 to 3 ft	purea. 4 to 5 it		$\frac{3}{7} \frac{20}{20}$	
### 10 5 ft	or small tree with slender purple branches. 2 to 3 ft			24 00
### Park of the Leaves silky. 3 to 4 ft. 40 3 20 4 to 5 ft. 60 5 00 ### Park of the Leaves silky. 3 to 4 ft. 60 5 00 ### Park of the Leaves	5 to 6 ft	80	7 20	60 00
Section Sect	purea but leaves silky. 3 to 4 ft			
Tepens argentea. Dwarf shrub with small silvery white leaves. 12 to 18 in	0 10 4 11			
with bloom; narrow dark green leaves. 3 to 4 ft	repens argentea. Dwarf shrub with small silvery white leaves, 12 to 18 in	60	5 00	
rubens. Tree with fragile branches; a hybrid between S. alba and S. fragilis. 2 to 3 ft. 30 2 40 4 to 5 ft. 60 5 00 40 0 5 to 6 ft. 80 7 60 rubens palustris. Tree with fragile branchlets. 2 to 3 ft. 40 3 20 4 to 5 ft. 60 5 00 rubra. Small shrub. 2 to 3 ft. 40 3 20 Russian Golden. Mcdium tree. 2 to 3 ft. 30 2 40 20 0 3 to 4 ft. 40 3 20 24 0 8ericea. One of the best dwarf species. 1 to 2 ft. 40 3 20 24 0	with bloom; narrow dark green leaves, 3 to 4 ft	60	5 00	
rubens palustris. Tree with fragile branchlets. 2 to 3 ft	tween S. alba and S. fragilis. 2 to 3 ft.	30	2 40	40.00
# 4 to 5 tt	3 to 0 it	80	7 60	±0 00
3 to 4 ft	rubra. Small shrub. 2 to 3 ft	60 40	5 00 3 20	20.00
2 10 3 11	3 to 4 ftsericea. One of the best dwarf species. 1 to 2 ft.	40 40	3 20 3 20	24 00 24 00
sesquitertia. Low shrub. 2 to 3 ft 60 5 00	2 to 3 ft	60 60	5 00 5 00	
sieboldiana. Upright shrub; young branchlets tomentose, older glabrous; fine dark green foliage, white underneath. 1 to 2 ft	foliage, white underneath. 1 to 2 ft	40	3 20	

KELSEY'S HARDY SPECIMEN EVERGREENS

DECIDUOUS TREES AND SHRUBS,	con	tinued	
Salix sordida. Tall shrub, with long, dull green Ealeaves. 3 to 4 ft	eh en	10 \$5 00	100
sp. Japan. 4 to 5 ft stipularis. Small tree to 15 feet, with tomentose branches and long leaves, densely downy be-	60	5 00	
low. 2 to 3 ft	40 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
tetrapla. Shrubby, shiny leaves, a cross between S. myrsinifolia and S. phylicifolia. 1 to 2 ft 2 to 3 ft	40 60	$\begin{array}{cc} 3 & 20 \\ 5 & 00 \end{array}$	
basketwork abroad. 3 to 4 ft	30 40 60	2 40 3 20 5 00	
viminalis gmelini. Tree with long, narrow leaves, shining silvery white below. 4 to 5 ft.	40	3 20	
Sambucus canadensis. American Elder. 2 to 3 ft	50	4 00	
3 to 4 ft 4 to 5 ft 5 to 6 ft	60 80 00 00	5 00 7 20 8 00 8 00	\$40 00
Sorbus americana. American Mountain Ash. 3 to 4 ft	80	7 20	
4 to 5 ft	50	8 00	
8 to 10 ft	50 40	22 00 3 20	
12 to 18 in	60	5 00	
6 to 7 ft 1	00 50	$\frac{8}{12} \frac{00}{00}$	
callosa alba. 12 to 18 in., clumpsthunbergi. Snow Garland. 2 to 3 ft	50 50	4 00	
3 to 4 ft	80	7 20	
tomentosa. Steeple Bush. 2 to 3 ftvan houttei. Bridal Wreath. 2 to 3 ft	60 50	5 00	32 00
3 to 4 ft	75	6 00	50 00
Stewartia pentagyna. Alleghany Stewartia. 1 to 2 ft	25	10 00	
2 to 3 ft	60 80	5 00 7 20	40 00 60 00
4 to 5 ft 1	00	8 00 5 00	70 00
vulgaris. Coralberry. 2 to 3 ft	60 60 80	5 00 7 60	40 00
Syringa. Named lilacs on own roots.	25	10 00	
Dame Blanche. D. WHITE. 1 to 2 ft	75	6 00	
2 to 3 ft	25 00 50	10 00 8 00 12 00	
josikæa. S. Purple. 4 to 6 ft	50	12 00	
2 to 3 ft	50 00	12 00 8 00	
2 to 3 ft 1	50 00	12 00 8 00	
Mons. La Page. Semi-double. White. 2 to 3 ft. 1	00	8 00	
Mons. La Page. Semi-double. White. 2 to 3 ft. 1 4 to 5 ft		12 00 8 00	
Rubra de Marley. S. Purplish red. 1 to 2 it 1	25	10 00	
verschaffelti. S. Dark red. 2 to 3 ft	00	8 00 18 00	
vulgaris. S. Common Purple Lilac, 1 to 2 ft., clumps	60	5 00	40 00
2 to 3 ft., clumps	80 25	7 20 10 00	60 00 90 00
vulgaris alba. S. Common White Lilac. 2 to 3 ft., clumps	80	7 20	60 00
3 to 4 ft., clumps	25 75	10 00 6 00	90 00
8 to 10 ft	50 00	12 00 18 00	160 00
12 to 14 ft 3	00	28 00	100 00
heterophylla. White Basswood. 6 to 8 ft 1 tomentosa. Silver Linden. 6 to 7 ft 2 vulgaris (europæa). European Linden.		10 00 18 00	
12 to 14 ft	00		
18 to 20 ft	00		
Ulmus americana. American Elm. 6 to 8 ft 1 8 to 10 ft	00 50	8 00 12 00	70 00 100 00
10 to 12 ft. 2 12 to 14 ft. 4	00	18 00 36 00	160 00 340 00
campestris. English Elm. 10 to 12 ft 4	00	36.00	040 00

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF BOXFORD NURSERY

DECIDUOUS TREES ANI	SHRUBS, con	ntinued	
Vaccinium corymbosum. Highbush	BLUEBERRY, Each	10	100
6 to 9 in. Transplants 9 to 12 in. Transplants		\$2 40 3 20	\$20 00 24 00
12 to 18 in	60	$\begin{array}{ccc} 5 & 00 \\ 12 & 00 \end{array}$	40 00 100 00
2 to 3 ft	3 00	28 00	240 00
4 to 5 ft. Specimens 5 to 6 ft. Specimens	4 00	36 00 50 00	340 00 400 00
court has a community 1 to 0 ft	00	5 00	
pallidum. 6 to 9 in. stamineum. Deersberry, 12 to 18	in	3 20 5 00	24 00
VILIS IGRES. FOXBERRI, 5 to 0 In	1 00	8 00	
Viburnum acerifolium. Mapleleaf americanum. 6 to 12 in. Seedlings.		4 00 1 60	12 00
1 to 2 ft	60	5 00	
2 to 3 lt	60	3 20 5 00	
3 to 4 ft	80	7 20 10 00	
5 to 6 ft	2 00	18 00	
dentatum. Arrow-wood. 4 to 5 ft		10 00 16 00	144 00
5 to 6 ft	2 00	18 00	
lantana. Wayfaring Tree, 1 to 2 2 to 3 ft	ft	6 00 10 00	50 00
lentago. Sheepberry, 1 to 2 ft	50	4 00	30 00
molle. 3 to 4 ft	40	8 00 3 20	
opulus (oxycoccus). Highbush Cra	ANBERRY.		
4 to 5 ft 5 to 6 ft	2 50	$\frac{12}{22} \frac{00}{00}$	
opulus nanum. 6 to 9 in 9 to 12 in		$\frac{3}{7} \frac{20}{20}$	
12 to 18 in	1 25	10 00	
18 to 24 in		16 00 8 00	
sargenti. 1 to 2 fttomentosum. 2 to 3 ft		6 00	
3 to 4 ft., heavy 4 to 5 ft., heavy		10 00 18 00	
Zanthorhiza apiifolia. Yellow Root			
6 to 12 in		2 40 4 00	20 00 32 00
18 to 24 in., heavy clumps	80	7 20	60 00
Vines and Clin	nbing P	lant	ts
	Each	10	ts
Actinidia arguta. Silver Vine. Stron	Each		
Actinidia arguta. Silver Vine. Stron	Each	10 \$6 00 6 00 6 00	
Actinidia arguta. Silver Vine. Stroi Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft	Each ng	10 \$6 00 6 00 6 00 3 20	
Actinidia arguta. Silver Vine. Stroi Akebia quinata. Strong	Each ng. \$0 75 75 75 40 1 to 2 ft. 60	10 \$6 00 6 00 6 00 3 20 5 00 5 00	100
Actinidia arguta. Silver Vine. Stroi Akebia quinata. Strong	Each ng	10 \$6 00 6 00 6 00 3 20 5 00 5 00 1 60	100 \$12 00
Actinidia arguta. Silver Vine. Stroi Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Durchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft	Each ng	10 \$6 00 6 00 6 00 3 20 5 00 5 00 1 60 4 00 6 00	100
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong	Each ng. \$0 75 75 75 40 60 1 to 2 ft. 1 ight. 20 75 40 75 40 75 40 75 40 75 40 75	10 \$6 00 6 00 3 20 5 00 5 00 1 60 4 00	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Durchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet 1 to 2 ft Clematis ligusticifolia. Western	Each ng	10 \$6 00 6 00 3 20 5 00 5 00 1 60 4 00 6 00 3 20 5 00	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong paniculata. Japanese Clematis. S	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 4 00 6 00 3 20 5 00 3 20	100 \$12 00
Actinidia arguta. Silver Vine. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Rower. Strong.	Each ag	10 \$6 00 6 00 6 00 5 00 1 60 4 00 6 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 4 00 6	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Durchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong paniculata. Japanese Clematis. S Heavy virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Str	Each ng	10 \$6 00 6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Durchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong paniculata. Japanese Clematis. S Heavy virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Str	Each ng	10 \$6 00 6 00 3 20 3 20 5 00 5 00 4 00 6 00 3 20 5 00 3 20 5 00 3 20 3 20 3 20 3 20 3 20 5 00 5 00 5 00 6 00 6 00 6 00 6 00 6 0	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong paniculata. Japanese Clematis. Strong. paniculata. Japanese Clematis. Strong. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Str Heavy radicans minimus (kewensis). Strong minimus (kewensis).	Each ng	10 \$6 00 6 00 5 00 5 00 5 00 1 60 4 00 6 00 3 20 5 00 3 20 5 00 3 20 3 20 3 20 3 20 3 20	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong paniculata. Japanese Clematis. S Heavy virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Str Heavy radicans minimus (kewensis). Strorgadicans variegatus. Strong radicans veriegatus. Strong radicans vegetus. 6 to 12 in	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 6 00 3 20 5 00 3 20 5 00 3 20 3 20 3 20 3 20 5 00 3 20 5 00 4 00 6	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans minimus (kewensis). Stroradicans variegatus. Strong. radicans variegatus. 6 to 12 in 12 to 18 in Lonicera japonica halliana. Hall	Each ng. \$0 75 75 75 40 60 1 to 2 ft. Light 20 50 50 40 SPECIES. 60 40 40 0ng. 40 0ng. 75 60 60 50 60 75 60 60 75 60	10 \$6 00 6 00 3 20 5 00 1 60 4 00 6 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 6 00 3 20 6 00 6 00 6 00 7 00 8	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata vetichi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Str Heavy. radicans vegetus. 6 to 12 in 12 to 18 in 12 to 18 in Lonicera japonica halliana. Hal	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 6 00 3 20 6 00 6 00 8 20 9 00 9	100 \$12 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft. Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy Strong. tunymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Strong. radicans wriegatus. Strong radicans minimus (kewensis). Stroradicans variegatus. Strong 12 to 18 in. Lonicera japonica halliana. Hall suckle. Strong. sempervirens. Coral Honeysuckle.	Each ng	10 \$6 00 6 00 3 20 5 00 5 00 1 60 6 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 5 00 6 00 3 20 5 00 6 00 3 20 6 00 6 00 8 20 8	100 \$12 00 32 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata vetichi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Viregin Bower. Strong. virginiana. Viregin Bower. Strong. Teadicans. Climbing Euonymus. Str Heavy. radicans climbing Euonymus. Str 1 Heavy. radicans variegatus. Strong. radicans variegatus. Strong. radicans variegatus. Strong. sempervirens. Coral Honeysuckle Strong. sempervirens. Coral Honeysuckle Rosa, Climbing and Trailing.	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 6 00 3 20 6 00 6 00 9	\$12 00 32 00 32 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata vetichi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Viregin Bower. Strong. virginiana. Viregin Bower. Strong. Teadicans. Climbing Euonymus. Str Heavy. radicans climbing Euonymus. Str 1 Heavy. radicans variegatus. Strong. radicans variegatus. Strong. radicans variegatus. Strong. sempervirens. Coral Honeysuckle Strong. sempervirens. Coral Honeysuckle Rosa, Climbing and Trailing.	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 6 00 3 20 6 00 6 00 9	\$12 00 32 00 32 00
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata vetichi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Viregin Bower. Strong. 2 to 12 in radicans. Climbing Euonymus. Str Heavy. radicans variegatus. Strong. radicans variegatus. Strong. radicans variegatus. Strong. 12 to 18 in 12 to 18 in Lonicera japonica halliana. Hal suckle. Strong. sempervirens. Coral Honeysuckle Lycium chinense. Rosa, Climbing and Trailing. Dorothy Perkins. Light pink. Crimson Rambler. Crimson. Excelsa. Crimson.	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 6 00 3 20 5 00 1 60 6 00 3 20 5 00 3 20 5 00 3 20 5 00 6 00 3 20 5 00 6 00 3 20 6 00 6 00 3 20 6 00 6 00 3 20 6 00 6 00 6 00 6 00 8 20 5 00 6 00 8 20 5 00 6 00 8 20 5 00 6 00 8 20 5 00 8 20 8	\$12 00 32 00 32 00 50 00 se.
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Strong. paniculata. Japanese Clematis. Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Strong. 12 to 18 in Lonicera japonica halliana. Hal suckle. Strong. sempervirens. Coral Honeysuckle Lycium chinense. Rosa, Climbing and Trailing. Dorothy Perkins. Light pink. Crimson Rambler. Crimson. Pink Rambler. Bright pink. Queen of the Prairie. Bright pink.	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 6 00 3 20 5 00 1 60 6 00 3 20 5 00 3 20 5 00 3 20 5 00 6 00 3 20 5 00 6 00 3 20 6 00 6 00 3 20 6 00 6 00 3 20 6 00 6 00 6 00 6 00 8 20 5 00 6 00 8 20 5 00 6 00 8 20 5 00 6 00 8 20 5 00 8 20 8	\$12 00 32 00 32 00 50 00 se.
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong	Each ng. \$0 75 75 75 76 40 60 1 to 2 ft 60 2 ft. Light. 20 50 40 SPECIES. 60 1 to 2 ft 60 60 40 60 60 60 60 75 60 60 75 60 60 75 60 75 60 75 60 75 60 75 60 75 60 75 60 75 60 75 60 75 60 60 75 60 75 60 60 75 60 60 75 60 60 75 60 60 75 60 60 60 75 60 60 75 60 60 60 60 60 75 60 60 60 60 60 60 60 60 60 60 60 60 60	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 3 20 3 20 5 00 3 20 6 00 6 00 6 00 6 00 6 00 6 00 6 00 7 00 8	32 00 32 00 50 00 se
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Strong. paniculata. Japanese Clematis. Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Strong. 12 to 18 in Lonicera japonica halliana. Hal suckle. Strong. sempervirens. Coral Honeysuckle Lycium chinense. Rosa, Climbing and Trailing. Dorothy Perkins. Light pink. Crimson Rambler. Crimson. Pink Rambler. Bright pink. Queen of the Prairie. Bright pink.	Each ng. \$0 75 75 75 40 60 1 to 2 ft. 60 2 ft. Light 20 50 50 60 40 60 60 60 60 60 60 60 60 60 60 60 75 L Honey 50 50 50 50 50 50 60 60 60 60 75 L Honey 50 50 50 50 50 50 50 50 50 50 50 50 50	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 3 20 5 00 3 20 6 00 6 00 6 00 6 00 6 00 6 00 6 00 7 00 8	32 00 32 00 50 00 se lilac.
Actinidia arguta. Silver Vine. Stroit Akebia quinata. Strong	Each ag	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 3 20 5 00 3 20 6 00 6 00 6 00 6 00 6 00 6 00 6 00 7 00 8	32 00 32 00 50 00 se lilac.
Actinidia arguta. Silver Vine. Stroid Akebia quimata. Strong. Ampelopsis aconitifolia, 1 to 2 ft quinquefolia engelmanni, 1 to 2 ft. tricuspidata veitchi. 2-yr., heavy. Aristolochia sipho. Dutchman Pipe. Celastrus orbiculatus punctatus. 1 to 2 to 3 ft 3 to 4 ft 3 to 4 ft Scandens. Bittersweet. 1 to 2 ft Clematis ligusticifolia. Western Strong. paniculata. Japanese Clematis. S Heavy. virginiana. Virgin Bower. Strong. Euonymus obovatus. 9 to 12 in radicans. Climbing Euonymus. Stradicans warlegatus. Strong. radicans varlegatus. Strong. 12 to 18 in. Lonicera japonica halliana. Hal suckle. Strong. Lycium chinense. Rosa, Climbing and Trailing. Dorothy Perkins. Light pink. Crimson Rambler. Crimson. Excelsa. Crimson. Pink Rambler. Pink. Queen of the Prairie. Bright pink, striped white. Silver Moon. Silvery white, yellow center.	Each ng	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 5 00 3 20 6 00 3 20 6 00 6 00 4 00 4 00 6 00 6 00 7 00 8	32 00 32 00 50 00 se lilac.
Actinidia arguta. Silver Vine. Stroid Akebia quinata. Strong	Each ag	10 \$6 00 6 00 3 20 5 00 1 60 4 00 3 20 5 00 3 20 5 00 3 20 3 20 5 00 3 20 6 00 6 00 6 00 6 00 6 00 6 00 6 00 7 00 8	32 00 32 00 50 00 se lilac.

CATALOG OF BOXFORD NURSERY

Hardy Herbaceous Perennials

A general collection of herbaceous plants usually offered in American catalogues will be supplied at 40 cts. each, \$2.40 for 10, \$20 per 100, in strong plants; clumps of many varieties can be supplied at double these prices. Rare varieties will be charged for according to value. \$2 40 1 80 \$20.00 2 40 Dicentra exim 3 60 32 00 20 00 20 00 20 00 20 00 Hepatica triloba.

Iris lawigata (kaempferi). Japanese Iris.

Liatris spicata.

Lilium hansoni. Japanese Species. Ist size.

tenuficlium. Sierrian Coral Lilly. Ist size.

tigrinum. Tiger Lilly. Ist size.

For other American Native Lilles, see page 23.

Monarda didvma. Rue Buyu. Hepatica triloba. $3\ddot{0}$ OO 20 00 Monarda didyma. BEE BALM fistulosa..... Pæonia, Mixed... 60 20 00 32 00 $\bar{3}$ Strong clumps..... 8 60 20 00 20 00 20 00 32 00 20 00 $\frac{2}{2} \frac{40}{40}$ Parnassia caroliniana..... Parnassia caronnians
Philox ameens
paniculata, in variety
stellaria.
subulata. Purple. Clumps.
Bright pink. Clumps.
subulata alba. White Philox. 3 60 2 40 $\frac{1}{2}$ Polygonatum commutatum. Solomon Seat...
Porteranthus (Gillenia) stipulata. Strong.....
Sanguinaria canadensis. Bloodroot. 1-yr. Seed-1 80 16.00 lings. lings.
Sarracenia catesbæi, drummondi, minor, psittacina, purpurea, rubra.
Saxifraga cordifolia.
Sedum (Stonecrop) in variety
Sempervivum arachnoideum, fimbriatum, globiferum, tectorum.
Solidago. Goldenrod, in variety.
Stenanthium robustum. Mountain Feather
Fleece, Ist size. 3 60 20 00 20 00 16 00 1 80 Stokesia cyanea.
Thermopsis caroliniana.
Thymus serpyllum album, and lanuginosus 20 00 20 00 2 40 20 00 Trillium grandiflorum. Large-FLOWERED ROBIN... Viola pedata, clumps.
pedata bicolor.
Yucca filamentosa. OO glauca. ADAM NEEDLE.... Ferns 20 00 20 00 20 00 20 00 20 00 SCENTED FERN...... DAGGER FERN..... 16 00 20 00 cristatum goldiena. Goldie Fern. goldiena. Goldie Fern.
marginalis. Shield Fern.
noveboracensis. New York Fern.
spinulosa. Spinulose Shield Fern.
thelypteris. Marsh Shield Fern.
Lygodium palmatum. Climbing Fern.
Matteuccia (Onoclea) struthiopteris.
Onoclea sensibilis. Sensitive Fern.
claytoniana. Clayton Fern.
regalis. Royal Fern.
Phegonteris polypodioides. 20 00 20 00 20 00 20 00 20 00 $\ddot{3}$ 30 3 2

PRICES

in this catalog abrogate all previous price-lists or quotations

Price-List of Highlands Nursery SPECIAL NOTICE

Highlands Nursery, Pineola, North Carolina, lies on the crest of the Alleghany Mountains, at 3,800 feet elevation, insuring absolutely hardy stock. It is the native home of the most beautiful and hardiest Broad-leaved

stock. It is the native home of the most beautiful and hardlest Broad-leaved Evergreens and Ericaccous plants indigenous to America.

Labor conditions and lack of adequate shipping facilities have made it seem best to close out this nursery. Much of the best material is already growing at my Boxford Nursery where soil and a vigorous New England climate combine to produce well-nigh perfect conditions for propagating those first things.

climate combine to produce well-nigh perfect conditions for propagating these fine things.

It is an excellent opportunity to secure fine material at prices that will probably not be duplicated again. Those wishing car-lots will do well to correspond with me at once and secure very special rates.

For our customers who may wish "collected" Rhododendrons and Kalmias we will still continue to handle these direct from the high southern mountains. See page 24.

DECIDUOUS AND EVERGREEN

Trees, Shrubs, Woody Vines

NOTE.—All plants are transplanted and nursery-grown, unless
plainly marked otherwise. This is a catalog of nursery-grown plants
growing at my Highlands Nursery, Pineola, North Carolina.
All communications should be addressed: Harlan P. Kelsey,
Owner, Salem, Massachusetts.

Each 10 .\$1 75 \$15 00 . 2 75 25 00 \$200 00 . 0 35 00 300 00 . 0 400 00 . 0 400 00 . 0 400 00 6 to 8 ft.

Acer saccharum. 2 to 3 ft.
3 to 4 ft.
4 to 6 ft.
6 to 8 ft.

Esculus octandra. 2 to 3 ft.

Alnus rugosa. 4 to 6 ft.
6 to 8 ft.

Amelanchier concentration 35 $\frac{50}{25}$ $\overline{40}$ 15 00 ŏŏ 3 to 4 ft.

melanocarpa (nigra), 1 to 2 ft.
2 to 3 ft.
3 to 4 ft.
4 to 5 ft.

zalea arborescens. 6 to 12 in. 50 $\frac{75}{40}$ Azalea arborescens. 6 to 12 in.

12 to 18 in., clumps.

12 to 18 in., clumps.

12 to 18 in., clumps.

13 to 24 in., clumps.

14 to 24 in., clumps.

15 to 24 in., clumps.

16 to 12 in., clumps.

17 to 18 in., clumps.

18 to 24 in., clumps.

19 to 18 in., clumps.

10 to 18 in., clumps.

10 to 18 in., clumps.

11 to 18 in., clumps.

12 to 18 in., clumps.

13 to 4 ft., clumps.

14 to 18 in., clumps.

15 to 12 in., clumps.

16 to 12 in., clumps.

17 to 18 in., clumps.

18 to 24 in., clumps.

19 to 18 in., clumps.

10 to 18 in., clumps.

10 to 18 in., clumps.

11 to 18 in., clumps.

12 to 18 in., clumps.

13 to 24 in., clumps.

14 to 18 in., clumps.

15 to 18 in., clumps.

16 to 12 in., clumps.

18 to 24 in., clumps.

18 to 24 in., clumps.

18 to 24 in., clumps.

19 to 18 in., clumps.

19 to 18 in., clumps.

10 to 12 in., clumps.

11 to 2 ft. Seedlings.

2 to 3 ft. Seedlings.

3 to 4 ft. Seedlings.

15 to 2 ft...

16 to 12 in.

17 to 2 ft...

18 to 2 ft...

18 to 2 ft...

19 to 12 ft...

10 to 12 ft...

20 to 4 ft...

20 to 5 ft...

20 to 5 ft...

20 to 6 ft...

20 to 7 ft...

20 to 10 ft...

20 to 10 ft...

20 to 10 ft...

20 to 10 ft...

20 to 4 ft...

20 to 10 ft...

20 to 4 ft...

20 to 10 ft...

20 to 4 ft...

20 to 10 ft...

20 to 20 ft...

20 to 20 ft...

20 to 3 ft...

20 to 3 ft...

20 to 3 ft...

21 to 18 in...

21 to 18 in...

22 to 3 ft...

23 to 4 ft...

24 to 6 ft...

25 to 10 ft...

26 to 12 in...

26 to 12 in...

27 to 3 ft...

28 to 10 ft...

28 to 10 ft...

20 to 3 ft....

20 to 3 ft...

20 to 3 ft....

20 to õõ 00 00 $\tilde{65}$ 50 $\frac{18}{35}$ 20 00 30 00 $\frac{7}{4}$ 65 00 35 00 70 00 $\frac{14}{18}$ 115 00 160 00 õŏ 2 18 00 50 $\frac{50}{75}$ 30.00 50 20 00 30 00 50 00 $\frac{75}{75}$ 80 00 8 00 $\frac{10}{12}$ 60 25 8 00 10 00 25 -20 $\frac{10}{10} \frac{00}{00}$ Carpinus caroliniana. 6 to 8 ft...

8 to 10 ft...
10 to 12 ft...

Castanea pumila, Chinkapin. 3 to 4 ft...
4 to 6 ft...

Celastrus orbiculatus punctatus. 1 to 2 ft...
2 to 3 ft...
scandens. 1 to 2 ft...
Chamsedaphne calvoulete. 12 to 18 in... OO 7 50 12 00 4 50 60 00 60 $\frac{16}{20} \frac{00}{00}$ scandens. 1 to 2 ft... Chamædaphne calyculata. 12 to 18 in... 18 to 24 in... 16 00

CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS, WOODY VINES				
Clethra acuminata. 1 to 2 ft	Ea so		10 \$1 50	100
2 to 3 ft		30	2 50	220 00
3 to 4 ft	-	50 75	6 00	\$30 00
alnifolia. 6 to 12 in		$\frac{20}{35}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{12}{20} \frac{00}{00}$
1 to 2 ft		20	1 50	12 50
Corylus americana. 1 to 2 ft		25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{12}{20} \frac{50}{00}$
3 to 4 ft		50	4 00	30 00
4 to 6 ft 6 to 8 ft	. 1	80	7 00 9 00	60 00
rostrata. 1 to 2 ft		20	1 50	12 50
2 to 3 ft		35 50	2 50 4 00	$\frac{15}{30} \frac{00}{00}$
4 to 6 ft		75	6 00	45 00
Cratægus coccinea. 4 to 12 in		$\frac{10}{20}$	1 00	7 00
2 to 3 ft		30 40	2 00 3 00	
3 to 4 ft punctata. 6 to 12 in. Seedlings		10	60	5 00
3 to 4 ft		40 60	3.00 5.00	
6 to 8 ft		20	1 50	10 00
1 to 2 ft		30 50	2 00 4 00	18 00
Wednesday apparents 1 to 2 ft		30	2 50	18 00
Hypericum aureum. 1 to 2 ft		$\frac{25}{35}$	$\frac{2}{3} \frac{00}{00}$	16 00
densiflorum. 1 to 2 ft. 2 to 3 ft		$\frac{20}{30}$	$\frac{1}{2} \frac{00}{00}$	8 00
prolificum. 1 to 2 ft		30	2 00	
2 to 3 ft		$\frac{40}{25}$	$\frac{3}{2} \frac{00}{00}$	20 00
2 to 3 ft		40	3 00	
3 to 4 ft	. 1	60	4 00 8 00	
monticola. 1 to 2 ft		25	1 50	12 00
2 to 3 ft		40 75	2 50 5 00	18 00
4 to 6 ft		00 30	8 00 2 50	
2 to 3 ft		50	10 00	
3 to 4 ft	. 2	00		
verticillata. 1 to 2 ft	,	40	3 00	
Kalmia augustifolia. 6 to 12 in		$\frac{25}{50}$	$\frac{2}{4} \frac{00}{00}$	30 00
latifolia. MOUNTAIN LAUREL. 9 to 12 in 12 to 18 in		30	$\frac{2}{4} \frac{00}{00}$	30 00
12 to 18 in		45 75	6 00	50 00
18 to 24 in	. 1	00	$\frac{8}{16} \frac{00}{00}$	$\begin{array}{cccc} & 75 & 00 \\ & 150 & 00 \end{array}$
18 to 24 in., clumps For Kalmia in carload lots, see page 24.				200 00
Leiophyllum buxifolium. 6 to 12 in		$\frac{25}{40}$	2 00 3 50	
prostratum, 1- to 3-in., spread	,	$\frac{20}{30}$	$\frac{1}{2} \frac{50}{50}$	$\frac{12}{20} \frac{00}{00}$
3- to 6-in., spread		25	2 00	15 00
12 to 18 in., clumps	. 1	$\frac{75}{00}$	6 00 8 00	50 00 75 00
18 to 24 in., clumps Lonicera japonica halliana. Light. \$40 per 1,00	ò Î	10	50	4 00
Strong Lyonia ligustrina. 1 to 2 ft.		$\frac{20}{30}$	$\frac{1}{2} \frac{00}{00}$	8 50 15 00
Strong. Lyonia ligustrina. 1 to 2 ft Malus coronaria. 1 to 2 ft 2 to 3 ft		35 50	$\frac{2}{4} \frac{50}{00}$	
		65	5 00	
4 to 5 ft Menziesia pilosa. 1 to 2 ft Nyssa sylvatica. 1 to 2 ft 2 to 3 ft	. 1	00 60	8 00 5 00	40 00
Nyssa sylvatica. 1 to 2 ft		40	3 00	20 00
2 to 3 lt		$\frac{60}{75}$	4 00 6 00	
4 to 5 ft	. 1	$\frac{00}{20}$	$\frac{9}{1} \frac{00}{25}$	10 00
Oxydendrum arboreum. 6 to 12 in		30	2 00	15 00
2 to 3 ft	×	40 50	3 00 4 00	$\frac{22}{30} \frac{00}{00}$
4 to 5 ft		60	5 00	40 00
5 to 6 ft	- 1	$\frac{00}{25}$	8 00 10 00	60 00
Disco speciment 6 to 19 in		15 25	$\frac{1}{2} \frac{00}{00}$	8 00
12 to 18 in pungens. 6 to 12 in. Seedlings 1 to 2 ft. Seedlings		15	80	6 00
1 to 2 ft. Seedlings 6 to 12 in		$\frac{20}{25}$	1 00 1 50	8 00 10 00
1 to 2 ft		40	2 50	16 00
Pieris (Andromeda) floribunda. 12 to 18 in 18 to 24 in	: 1	60	15 00 18 00	120 00
Pinus hankeigns, 10 to 12 ft	1	60	15 00	140 00
12 to 14 ft	. 2	$\frac{00}{20}$	18 00 1 50	160 00 10 00
ponderosa. 1 to 2 ft		$\frac{30}{40}$	$\frac{2}{3} \frac{50}{00}$	15 00 20 00
4 to 5 ft	:	60	5 00	_5 00

KELSEYS Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

T	REES, SHRUBS, WOODY VINES, conti	nued	
	Each	10	100
Pinus flexil	lis. 6 to 12 in	\$2 50	\$20 00
	I to 2 ft	3 50	\$20 OO
rigida. 8	to 10 ft	10 00	80 00
Prunus pu	mila. 6 to 12 in	1 00	30 00
	1 to 2 ft	1 50	
Pseudotsus	ga douglasi (taxifolia). 6 to 12 in 25	1 50	10 00
	1 to 2 ft	2 00	15 00
	2 to 3 ft	6 00	15 00
Querous no			
ductons be		30 00	
prinne (12 to 15 it	40 00	
prinus.	5 to 8 ft	25 00	
Dhododond	8 to 10 ft 4 00	30 00	
Knododend	ron catawbiense. 3 to 6 in	2 00	14 00
	12 to 18 in., clumps	12 - 50	110 00
	18 to 24 in., clumps	20 - 00	160 00
	2 to 3 ft., clumps	$30 \ 00$	250 00
	3 to 4 ft., clumps 5 00	45 00	400 00
	4 to 5 ft., clumps 7 50		
maximur		1 25	10 00
	9 to 12 in	2 00	16 00
	12 to 18 in 45	3 50	28 00
	18 to 24 in 1 00	6 00	50 00
	12 to 18 in., clumps	12 00	100 00
	18 to 24 in., clumps	18 00	150 00
	2 to 3 ft., clumps	25 00	100 00
Rhodora ca	nadensis. 6 to 12 in	3 00	
Rhus typhi	na. 2 to 3 ft	1 50	12 00
	3 to 4 ft	2 50	20 00
Robinia his	pida. 1 to 2 ft	1 50	10 00
Viscosa 4	t to 6 ft		10 00
Rosa bland		4 00	0.00
TIOOM DIGHT		1 00	8 00
carolina.		2 00	0.00
caronna.	1 to 2 ft	1 00	8 00
humilis.	2 to 3 ft	1 50	12 00
	1 to 2 ft	2 00	18 00
nitida (to 2 ft	2 00	18 00
mua.	to 12 in	1 50	12 00
	1 to 2 ft	2 00	18 00
nutkana.	1 to 2 ft	3 00	
woodsi.	to 12 in. Seedlings	3 00	
Rubus cana	densis. 1 to 3 ft	75	6 00
laciniatus	3. 1 to 3 ft	2 00	15 - 00
odoratus.	1 to 2 ft	1 50	
Sambucus of	canadensis. 3 to 4 ft	2 50	
	4 to 6 ft	3 50	
racemosa.	. 3 to 4 ft 45	3 50	
Stewartia p	entagyna. 1 to 2 ft	3 50	
		10 00	
		20 00	
Tsuga canae		15 00	
		35 00	
		50 00	
		80 00	
carolinian	18. CAROLINA HEMLOCK 12 to 18 in 1 00	9 00	80 00
			90 00
		$\frac{12}{20} \frac{00}{00}$	
Come	2 to 3 it 2 50		

Some perfect specimens of this grand Hemlock, 16 to 20 feet in height, will be sold on special terms. Anyone desiring to make a notable planting for immediate effect can find nothing their equal elsewhere and should correspond with us at once.

They lift with very large ball and can be considered for carload shipment only. For descripting of the Caroline Hemlock, we from these constraints.

only. For description of the Carolina Hemlock, see front	page cov	er.
Vaccinium erythrocarpum Each	10	100
1 to 2 ft\$0 50	\$4 00	
macrocarpon. Clumps 10	75	\$5 00
pallidum. 1 to 2 ft., clumps	5 00	40 00
2 to 3 ft., clumps	8 00	
pennsylvanicum. 4 to 12 in	3 00	20 00
stamineum. 1 to 2 ft	2 00	16 00
6 to 12 in., clumps	2 50	20 00
12 to 18 in., clumps 50	3 50	30 00
18 to 24 in., clumps 75	6 00	
2 to 3 ft., clumps	8 00	
Viburnum acerifolium. 1 to 2 ft	2 50	20 00
2 to 3 ft 40	3 00	
3 to 4 ft 50	4 00	
alnifolium. 6 to 12 in	2 50	20 00
1 to 2 ft 45	4 00	35 00
cassinoides. 1 to 2 ft	2 00	15 00
2 to 3 ft 40	3 00	25 00
3 to 4 ft 50	4 00	35 00
4 to 6 ft 90	8 00	60 00
6 to 8 ft 1 50	12 00	110 00
dentatum. 3 to 6 in. Seedlings	75	5 00
6 to 12 in. Seedlings 15	1 00	7 00
1 to 2 ft	2 00	18 00
Zanthorhiza apiifolia. 3 to 6 in. \$30 per 1,000. 10	60	4 00
6 to 12 in. \$50 per 1,000	75	6 00
12 to 18 in, \$70 per 1,000	1 00	8 00
3 to 6 in., clumps. \$70 per 1,000 20	1 00	8 00
6 to 12 in., clumps. \$80 per 1,000 25	1 50	10 00
18 to 24 in., clumps 50	4 00	30 00

CATALOG OF HIGHLANDS NURSERY

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants

Aconitum uncinatum	\$1 00	100	1000
Actæa alba	1 75		
Allium cernuum	1 25		
Amsonia tabernæmontana	1 00		
	1 00		
Arisæma triphyllum	1 00		
Asters, in variety			
Galax aphylla. "Collected" elumps.			
Gaultheria procumbens. "Collected" clumps	1 00		
	1 50		60 00
Gentiana andrewsi	1 00	0.00	
Gillenia stipulata. Strong	1 00		
Habenaria ciliaris	1 00		
Heuchera villosa	1 00		
Iris cristata	1 50		
pseudacorus	1 00		
verna. Clumps	1 50		
Liatris spicata	1 00	8 00	
LILIUM carolinianum. CAROLINA LILY.			
1 and 2 yr., from scales	50		
2d size	1 00		
grayi. 1 and 2 yr., from scales 2d size. 1st size. superbum. TURK-CAP LILY. 3d size. 2d size.	1 25		
9d size	1 00		
1st size	1 25		
superbum. Turk-Cap Lucy. 3d size	4(
2d size	71		
1st size	1 00	8 00	
Carex fraseri. "Collected"	1 25	10 00	
1st size	1 00	8.00	70.00
Cicuta maculata	1 00		
Cicuta maculata Cimicifuga americana racemosa	1 00		
Clamatic origina	.75		
Clematis crispa Clintonia umbellata Coreopsis lanceolata	2 75		
Coreonsis lanceolata	77		
major	77		
rosea	1 00		
verticillata	1 00		
Cypripedium hirsutum. Light	71		40.00
Strong	1 23	10 00	
major rosea cyrricellata Cypripedium hirsutum. Light Strong Dioscorea villosa Diphylleja cymosa	1 00)	
Diphylleia cymosa	1 2	5	
Disporum lanuginosum	1 2)	
Diphylleia cymosa Disporum lanuginosum Epigæa repens. Trailing Arbutus. "Collected" clumps.	1 50	12 00	100 00
EPDNC U.s.l. N	1 00	12 00	100 00
FERNS. Hardy Native Species.	1 0	10.00	
Asplenium filix-forming	1 23		
Adiantum pedatum Asplenium filix-fœmina Botrychium virginianum Dryopteris acrostichoides	1 00		
Dryopteris acrostichoides	1 00		
	1 00		
marginalis			60 00
marginalis spinulosa	1 00	8.00	00 00
spinulosa.			
spinulosa.	1 50	12 00	00 00
spinulosa.	1 50) 12 00 5 6 00	00 00
spinulosa.	1 50 73 1 50) 12 00 5 6 00 0 10 00	00 00 0 50 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps.	1 50 73 1 50 1 25	12 00 5 6 00 0 10 00 5 10 00	00 00 0 50 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum.	1 50 73 1 50	0 12 00 5 6 00 0 10 00 5 10 00 5 6 00	00 00 50 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum Sanguinaria canadensis	1 50 73 1 50 1 23 73	12 00 5 6 00 0 10 00 5 10 00 5 6 00 0 8 00	0 00 00 0 50 00 0
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum Sanguinaria canadensis	1 50 73 1 50 1 23 73 1 00	12 00 5 6 00 10 00 5 10 00 5 6 00 5 6 00 5 6 00	0 00 00 0 50 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris.	1 50 73 1 50 1 23 73 1 00 73 1 00	12 00 5 6 00 10 00 5 10 00 5 6 00 9 8 00 5 6 00 5 6 00	0 00 00 0 50 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris.	1 50 73 1 50 1 23 73 1 00 73 1 00	12 00 5 6 00 10 00 5 10 00 5 6 00 5 6 00 5 6 00 5 6 00 6 0	0 00 00 0 50 00 0 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size.	1 50 73 1 50 1 23 73 1 00 73 1 00	12 00 5 6 00 10 00 5 10 00 5 6 00 5 6 00 5 6 00 6 00	0 00 00 50 00 1 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size.	1 50 7; 1 50 1 2; 7; 1 00 7; 1 00 7; 1 00 1 50	12 00 5 6 00 10 00 5 10 00 5 6 00 6 8 00 6 8 00 6 0 8 00 6 0 8 00 7 8 00 8 00 9 8 00 10 00 10 00	0 00 00 0 50 00 0 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steinonema ciliatum and terrestris. Stenanthum robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size.	1 50 73 1 50 1 23 1 00 73 1 00 73 1 00 1 50 3 00	12 00 5 6 00 5 10 00 5 10 00 5 6 00 6 8 00 6 8 00 6 0 8 00 6 0 8 00 7 10 00 8 00 9 20 00	00 00 00 0 50 00 0 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana.	1 50 73 1 50 1 21 73 1 00 73 1 00 1 50 3 00 1 00	12 00 6 00 10 00 5 10 00 5 6 00 6 8 00 6 8 00 6 8 00 6 9 8 00 6 9 8 00 6 9 8 00 7 8 00 8 00 9 8 0	00 00 00 0 50 00 0 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana.	1 50 73 1 50 1 23 1 00 73 1 00 73 1 00 1 50 3 00 1 00 1 00	12 00 5 6 00 10 00 5 10 00 5 10 00 6 00 9 8 00 0 8 00 10	0 00 00 0 50 00 0 36 00 0 65 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size.	1 50 73 1 50 1 23 1 00 73 1 00 1 50 1 50 1 00 1 00 40	12 00 5 6 00 6 10 00 5 10 00 6 00 6 00 8 00 6 00 8 00 10 00 8 00 10 00 8 00 10 00 8 00 10 00	0 00 00 50 00 1 36 00 6 50 00 1 36 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size.	1 50 7; 1 50 1 2; 7; 1 00 7; 1 00 1 50 3 00 1 00 1 00 40 7;	12 00 5 6 00 10 00 5 10 00 5 10 00 5 6 00 6 8 00 6 8 00 6 8 00 6 8 00 7 8 00 8	0 00 00 50 00 1 36 00 65 00 1 36 00 1 36 00 1 36 00 1 30 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steinonema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. Ist size. grandifforum. 2d size. grandifforum. 2d size.	1 50 73 1 50 1 23 73 1 00 73 1 00 1 50 3 00 1 00 40 73 30	12 00 5 6 00 10 00 5 10 00 5 10 00 6 00 6 00 7 8 00 7 8 00 8 00 9 00 10 00	0 00 00 0 50 00 1 36 00 0 65 00 1 30 00 1 30 00 1 30 00 1 30 00 1 30 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleeck. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. grandiflorum. 2d size. 1st size.	1 50 73 1 50 1 23 1 00 73 1 00 1 50 3 00 1 00 1 00 4 7 3 6	12 00 5 6 00 10 00 5 6 00 6 00 6 00 8 00 6 00 8 00 6 00 8 00 10	0 00 00 0 50 00 1 36 00 0 65 00 1 38 00 0 18 00 0 30 00 0 15 00 0 25 00 0 25 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stemanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. stylosum. 2d size. 1st size.	1 50 73 1 50 1 23 73 1 00 73 1 00 1 50 3 00 1 00 40 73 30	0 12 00 6 00 10 00 5 10 00 6 00 0 8 00 0 10 00 0 8 00 0 8 00 0 9 8 00	0 00 00 0 50 00 1 36 00 0 65 00 0 18 00 0 30 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. 1st size. undulatum. 2d size.	1 55 73 1 50 1 22 74 1 00 73 1 00 1 55 3 00 1 00 1 00 4 4 7 7 8 6 6 6 7 7 7 6	0 12 00 6 00 10 00 5 10 00 6 8 00 8 0	0 00 00 0 50 00 1 36 00 0 65 00 1 30 00 0 15 00 0 25 00 0 30 00 1 5 00 0 30 00 0 25 00 0 30
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. Ist size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. 1st size. undulatum. 2d size.	1 55 73 1 20 74 1 00 73 1 00 73 3 00 1 00 4 4 7 7 3 66 66 7 7	0 12 00 0 10 00 0 10 00 5 6 00 5 6 00 6 00 6 00 8 00 0 8 00 0 9 00 0 00 0 0	0 00 00 0 50 00 1 36 00 0 65 00 1 30 00 0 15 00 0 25 00 0 30 00 1 5 00 0 30 00 0 25 00 0 30
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. stylosum. 2d size. 1st size. Lat size.	1 55 77 1 55 1 22 74 1 00 73 1 00 1 55 1 00 1 55 1 00 1 00 1 00 1 00	0 12 00 0 10 00 0 10 00 0 6 6 00 0 8 00 0 8 00 0 10 00 0 8 00 0 10 00 0 8 00 0 10 00 0 20 00 0 8 00 0 8 00 0 10 00 0 8	0 00 00 0 50 00 1 36 00 0 36 00 0 50 00 1 8 00 0 30 00 0 15 00 0 30 00 0 30 00 0 30 00 0 40 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. Vaccinium macrocarpon. Clumps.	1 55777 1 55777 1 00777 1 00773 1 001 1 553 3 001 1 001 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	0 12 00 0 10 00 0 10 00 0 5 6 00 0 8 00 0 8 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00 00 0 50 00 0 36 00 0 65 00 0 18 00 0 30 00 0 15 00 0 25 00 0 30 00 0 30 00 0 40 00
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllum peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. undulatum. 2d size. 1st size. vsceinium macrocarpon. Clumps. Vincor minor. Strong.	1 55 77 1 55 1 22 77 1 00 77 1 00 1 55 3 00 1 00 4 4 7. 3 66 66 7. 7. 7. 1 00 1 1 00 1 000	0 12 00 5 6 00 5 10 00 5 6 00 6 00 8 00 0 8 00 0 10 00 8 00 0 8 00 0 20 00 0 3 00 0 4 00 0 4 00 0 4 00 0 4 00 0 8 00	0 00 00 0 50 00 0 36 00 0 36 00 0 37 00 0 30 00 0 3
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatum commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. lst size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. lst size. stylosum. 2d size. lst size. stylosum. 2d size. lst size. undulatum. 2d size. lst size. stylosum. 2d size. lst size. Vaccinium macrocarpon. Clumps. Vincor minor. Strong. Viola cucullata pedata bicolor.	1 557777 1 5581 22777 1 00777 1 001 553 001 1 004477 3 666777 7 1 001 1 001 1 001 1 001 1 001 1 7 1 7	0 12 00 0 10 00 0 10 00 0 6 6 00 0 8 00 0	0 00 00 0 50 00 0 36 00 0 36 00 0 37 00 0 30 00 0 3
spinulosa. Osmunda cinnamomea, claytoniana, and regalis. Pteridium aquilinum. Mitchella repens. "Collected" clumps. Monarda didyma. Podophyllura peltatum. Polygonatura commutatum. Sanguinaria canadensis. Solidago in variety. Steironema ciliatum and terrestris. Stenanthium robustum. Mountain Feather. Fleece. 3d size. 2d size. 1st size. Thermopsis caroliniana. Tradescantia montana. Trillium erectum. 2d size. 1st size. grandiflorum. 2d size. 1st size. stylosum. 2d size. 1st size. undulatum. 2d size. 1st size. stylosum. 2d size. 1st size. vaccinium macrocarpon. Clumps. Vincor minor. Strong.	1 55 77 1 55 1 22 77 1 00 77 1 00 1 55 3 00 1 00 4 4 7. 3 66 66 7. 7. 7. 1 00 1 1 00 1 000	0 12 00 5 6 00 5 10 00 5 6 00 6 6 00 9 8 00 10 00 8 00 10 00	0 00 00 0 50 00 0 36 00 0 36 00 0 18 00 0 30 00 0 15 00 0 25 00 0 30 00 0 40 00

ATALOG OF HIGHLANDS NURSERY

Rhododendrons and **Mountain Laurel**

"COLLECTED" CLUMPS BY THE CARLOAD

For the area covered and effect produced, a carload of Rhododendrons or Kalmias is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and the fine hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used. The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 pounds. "Mixed" cars of collected Rhododendron catawhiense, Rhododendron maximum, and Kalmias will be sent if desired.

A car may be easily loaded much heavier, with proportionate increased freight charge.

Rhododandron catawhiansa

Maximum, and Ramma.

A car may be easily loaded much heavier, with proposition of freight charge.

A full car travels with greater safety than one with a small load.

All "clumps" offered below are collected with a good ball and are burlaped separately.

On collected clumps burlaping is always charged extra as below.

We always burlap clumps unless expressly ordered otherwise.

PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

10

100

1.000

thoughton catawhiense.	10	100	1,000
1 to 2 ft., "collected" clumps	\$12 00	\$100 00	\$900 00
2 to 3 ft., "collected" clumps	18 00	160 00	1400 00
3 to 4 ft., "collected" clumps	30 00	260 00	2200 00
4 to 5 ft., "collected" clumps	40 00	360 00	
Rhododendron maximum. THE GREAT AME	ERICAN	ROSEBAY.	
1 to 2 ft., "collected" clumps	\$10 00	\$88 00	\$800 00
2 to 3 ft., "collected" clumps	14 00	120 00	1000 00
3 to 4 ft., "collected" clumps	-22 - 00	200 00	1800 00
4 to 5 ft., "collected" clumps	36 00	320 00	
5 to 6 ft., "collected" clumps	60 00	480 00	
6 to 7 ft., "collected" clumps	76 00	600 00	
Kalmia latifolia. Mountain Laurel.			
1 to 2 ft., "collected" elumps	8 00	76 00	680 00
2 to 3 ft., "collected" clumps	14 00	120 00	1000 00
3 to 4 ft., "collected" clumps	22 00	200 00	1800 00
CARLOADS IN MIXED	SIZES	;	

Rhododendron catawbiense, "collected" clumps.	
Car containing 200 clumps, 1 to 3½ ft., for\$280	00
Car containing 300 clumps, 1 to 3½ ft., for 380	00
Car containing 400 clumps, 1 to 3½ ft., for 500	00
Car containing 600 clumps, 1 to 3½ ft., for 660	00
Rhododendron maximum, "collected" clumps.	
Car containing 300 clumps, 1 ½ to 4 ft., for\$320	00
Car containing 400 clumps, 1½ to 4 ft., for,	00
Car containing 600 clumps, 1½ to 4 ft., for 600	00

BURLAPING

Burlaping of "collected" Rhododendrons, Kalmias or other "collected" stock is charged for as per schedule below. Also where small sizes or deciduous stock is balled or burlaped by special request a charge is always made to cover cost.

Schedule of Burlaning Charges

Ea Ea Ea Ea Ea Ea Ea Ea				-	-	-	-		••	r			ь.		~			٠.	Э,	~	,					
to 3 ft., clumps and trees. to 4 ft., clumps and trees. to 6 ft., clumps and trees.																										F
to 3 ft., clumps and trees. to 4 ft., clumps and trees. to 6 ft., clumps and trees.	mall sizes							 																		80
to 4 ft., clumps and treesto 6 ft., clumps and trees	to 3 ft., clum	os and	trees.			ì			Ī		Ĭ			1			-		•		•	•		۰	۰	. 400
to 6 ft., clumps and trees	to 4 ft., clum	os and	trees.			Ĺ					Ċ						٠		•		٠	•	• •	•		*
to 8 ft., clumps and trees.	to 6 ft., elum	os and	trees.								Ĭ.		•			-	-		•		1	٠	• •	۰	٠	
	to 8 ft., clum	os and	trees.			ï				٠.	٠	• •	•				٠		•	• •		•		۰		•

All communications should be plainly addressed to

HARLAN P. KELSEY, Owner Office 209A Washington St. SALEM, MASS.